

# Index

## A

- Acumed™, 219
- Anterior sunken fragments
  - case example, 87–98
  - metaphyseal comminution and, 87
- Approaches
  - central, 49
  - combined volar and dorsal mini, 362–364
  - dorsal, 49, 304–310, 343
  - dorsal ulnar, 200–202, 213, 233
  - extended flexor carpi radialis, for jammed fragment, 299–301
  - foveal, 213, 217–218, 219–220, 221–222
  - Henry, 19–21, 111, 182, 311
  - Orbay, 299–300
  - radial, 19–21
  - transverse, 49
  - ulnar head, 213, 230–232
  - ulnar neck, 237
  - ulnar styloid, 213, 271
  - volar-ulnar, 45
  - volar-ulnar and volar-radial, 46–48
- Arthrodesis, arthroscopic, 291–293
- Arthroscopic resection arthroplasty, 287, 288–290
- Arthroscopy
  - for die-punch fracture treatment, 74–85
  - dry technique
    - burring, 61
    - case example of lunate fossa fracture, 70–72
    - caveats, 69–70
    - correction of rotated facet or fragment, 67
    - flushing the joint, 62, 63
    - introduction of arthroscope, 65
    - irrigation, 69
    - reduction of depressed fragment, 66
    - reduction of free osteochondral fragments, 68
    - suction, 60–61
    - visualization, 62
  - limitations with metaphyseal–diaphyseal fracture repair, 189
  - optical illusion image, 90–92
  - portal placement, 56–57
  - setup
    - instruments, 52, 55–56
    - patient prep, 51–52, 64
    - tourniquet placement, 51–52
    - traction, 51, 53–54, 64
  - timing of, 51
  - wet technique, 58, 59
- Articular view
  - of rim fracture, 145
  - technique for obtaining, 7
  - of volar shear fracture, 114
- Autofix-type screws, 219
- Autofix™ screws, 215, 352, 363

## B

- Bone anchor, for distal radioulnar joint stabilization, 312, 316
- Bone graft packing, 194, 203, 227, 308
- Bone graft, vascularized versus nonvascularized, 206
- Buttress plating
  - considerations for, 112
  - for rim fractures, 142–155
  - for single volar-ulnar fragments, 45
  - for small fragments, 102–110
  - for volar shear fracture, 111–119, 120–126

## C

- Carpal tunnel syndrome, algorithm for assessing and treating, 15
- Case examples
  - anterior sunken fragment, 87–98
  - complicated rim fracture, 143–155
  - compound intra-articular distal radius and ulna fracture with crush injury, 200–202, 202–208
  - die-punch fracture, 74–86
  - distal radius fracture with loose bodies, joint narrowing, and lunate dorsiflexion, 40–43
  - explosion-type fractures
    - complex marginal volar shearing with five articular fragments and rim-type fracture, 252–260
    - four to seven fragments, 239–250
    - ulnar pillar comminution, sunken free osteochondral fragment, displaced ulnar styloid, and sigmoid notch derangement, 261–271
  - forearm crush injury, 200–202
  - free osteochondral fragment, 130–139
  - intra-articular distal radius fracture and comminuted ulnar head, 221–222
  - large radial styloid fragment and dorsal ulnar radial avulsion, 173–178
  - lunate fossa fracture, 130–139
  - malunion
    - acute intra-articular jammed fragment, 299–301
    - arthroscopic arthrodesis, 291–293
    - complex intra-articular, 311–323
    - extra-articular distal radius fracture, arthroscopic management, 273–281
    - intra-articular distal radial fracture with scaphoid fossa step-off, dorsal radiocarpal dislocation, and ligament avulsion, 291–293
    - intra-articular distal radial fracture with ulnar carpal translocation, scapholunate dissociation and extension-blocking fragment, 288–290
    - intra-articular jammed fragment, 302–310
    - intra-articular, painful, 337–356
    - metatarsal graft, 294–297
  - massive metaphyseal–diaphyseal comminution with ulnar fracture, 196–200
  - metaphyseal–diaphyseal comminution with articular comminution, 191–195

## Case examples—cont'd

- perilunate dislocation, 184–187
  - perilunate injury with radial styloid fragment, 161–172
  - revision of extra-articular distal radius and ulnar fracture, 223–229
  - rim fracture with metaphyseal comminution and jammed free osteochondral fragment, 143–155
  - scaphoid comminution with volar rim fracture and volar carpal dislocation, 181–183
  - sigmoid notch incongruity with supination deformity of distal fragment and ulnar spike, 36–39
  - small fragments, 101–110
  - styloid fracture with two parts, 362–364
  - triangular screw configuration for minimal comminution, 360–362
  - ulnar comminution, 230–232
  - ulnar neck comminution with ulnar head sagittal fracture, 235–238
  - ulnar styloid base fracture, 214–217
  - volar rim fracture with ligamentous injury, 179–183
  - volar rim impaction with soft tissue and cortical fragments, 29–35
  - volar shearing fracture with large sunken fragment and volar metaphyseal comminution, 101–110
  - volar shearing fracture with sunken dorsal fragment, 111–119
  - volar shearing fracture with sunken radial fragment, 120–127
- Central approach, 49  
 Closure, 44  
 Colles'-type fracture, 83  
 Compartment syndrome  
 assessment for, 13  
 and distal radius plating, 13–14  
 Complications, postoperative, 16–17  
 Compression injury, mechanics of, 158–159  
 Computed tomography  
 complex fractures and, 263  
 technique for fractures with articular involvement, 3–8

**D**

- Debridement, scar tissue, 273–277, 285, 292, 315
- DICOM images, for assessment of articular involvement, 3
- Die-punch fracture  
 case example, 74–85  
 defined, 73
- Distal radioulnar joint  
 assessment of, 83, 211  
 bone anchor for stabilization of, 312, 316  
 effects of compression and traction on, 158, 174–175, 178  
 instability of, 212  
 radial translocation and, 27–28  
 stabilizers, 210–211
- Dorsal approach  
 disadvantage of, 49  
 for healed dorsal ulnar fragment, 302–308  
 for painful intra-articular malunion, 343–351, 351–356
- Dorsal ulnar approach  
 for forearm crush injury repair, 200–202  
 indications for, 213  
 schematic of, 233
- DVR plate, 10, 47, 192

**E**

- Explosion-type fractures  
 complex, with marginal volar shearing and rim-type fracture, 252–260  
 lag screw placement, 257–258  
 platform-type reduction, 254–255  
 radial translation, 258  
 complex, with ulnar pillar comminution, sunken free osteochondral fragment, ulnar styloid displacement, and sigmoid notch derangement, 261–271  
 fine-tuning of anterior segment, 267–268  
 free osteochondral support, 268  
 platform creation, 264  
 ulnar styloid reduction, 269–270
- defined, 239  
 with large volar ulnar fragment, 239–250  
 treatment principles for, 239
- Extra-articular malunions  
 arthroscopy for  
 benefits of, 273  
 disadvantages of, 274  
 restoration of supination, 279–280  
 scar tissue removal, 275–276  
 triangulation, 275  
 ulnar styloid impaction, 277–278  
 ulnar styloid resection, 278

**F**

- Flaps  
 corticoperiosteal, 206  
 free lateral arm, 201  
 microvascular iliac, 205
- Floating ulnar head fracture, 204
- Foveal approach  
 case examples, 219–220, 221–222  
 indications for, 213, 218  
 schematic of, 217
- Foveal detachment 210, 211
- Fractures  
 Colles'-type, 83  
 comminuted metaphyseal–diaphyseal, 191–195, 196–200, 200–202, 202–208  
 die-punch, case example, 74–86  
 explosion type  
 complex, with ulnar pillar comminution, sunken free osteochondral fragment, and sigmoid notch derangement, 261–271  
 complex, with volar shearing, free osteochondral fragment, and rim-type fracture, 252–260  
 Four to seven fragments, with major dorsal comminution, 239–250  
 floating ulnar head, 204  
 lunate fossa, case example, 130–139  
 requiring microsurgery, 201, 205–206  
 rim  
 case example, 143–155  
 management options, 142–143  
 two-part styloid, 362–364  
 ulnar  
 distal diaphyseal ulnar fracture, 234  
 short oblique neck fracture with distal radius fracture, 219–220  
 ulnar head comminution and intra-articular fracture, 221–222  
 ulnar neck comminution and sagittal head fracture, 235–238

- ulnar shaft and distal radius fracture, 230–232
  - ulnar styloid base with foveal involvement, 214–217
  - volar rim
    - ligamentous injury and, 179–183
  - volar shear
    - sunken dorsal fragment, 113–119
    - sunken radial fragment, 120–127
  - Fragment
    - anterior sunken
      - causes of, 87
      - reduction of, 87–98
    - “disappearing” in closed fractures, 312, 313–314
    - free osteochondral
      - case example, 130–139
      - in complex intra-articular malunion, 313
      - defined, 129
      - in explosion-type fractures, 239, 253–255, 262–270
      - as indicator of prognosis, 2
      - jammed, 299–301
      - need for multiple views of, 8
      - reduction in comminuted articular fractures, 68
      - in rim fracture, 144–145, 150–151
    - jammed, 302–310
    - scaphoid fossa
      - in painful malunion, 340–342, 343–351, 351–356
      - in styloid fracture, 362–363
    - small
      - approach, 100
      - case example, 101–110
      - fragmentation prevention during reduction, 99
      - instruments for reduction of, 100
  - Fragment view, 8, 102, 145, 263
  - Free osteochondral fragments
    - case example, 130–139
    - in complex intra-articular malunion, 313
    - defined, 129
    - in explosion-type fractures, 239, 253–255, 262–270
    - as indicator of prognosis, 2
    - need for multiple views of, 8
    - Orbay approach for, 299–301
    - reduction in comminuted articular fractures, 68
    - in rim fractures, 144–145, 150–151
- H**
- Henry approach
    - dos and don'ts of, 19–21
    - for scaphoid and volar rim reduction, 182
    - for volar ligament reattachment, 311
    - for volar shearing fracture, 111
- I**
- Iatrogenic fracture, prevention of, 246
  - Image reconstructions, three-dimensional, 9
  - Intra-articular malunion
    - basic concepts
      - algorithm for decision-making, 283
      - arthroscopic arthrodesis, 291–293
      - arthroscopic resection arthroplasty, 287, 288–290
      - instruments for arthroscopically guided osteotomy, 285
      - metatarsal graft, 294–297
      - osteotome insertion, 286
      - rationale for arthroscopically guided osteotomy, 283
      - straight-line osteotomy, 283, 284
      - tear-line osteotomy, 283, 284
- complex case, 311–323
  - with jammed fragment in metaphysis
    - case example, 302–323
    - extended flexor carpi radialis approach, 299–301
    - Orbay approach, 299–301
  - painful, complex
    - first revision, 343–351
    - initial management, 337–343
    - second revision, 351–356
- K**
- K-wires, for external radius fixation, 12
  - Keystone fragment, 26, 75, 144
- L**
- Lanz's osteotomy, 255
  - Level 1 studies
    - articular step-offs and, 364
    - disadvantages of, 27
  - Ligamentous injuries
    - case examples
      - large radial styloid fragment and dorsal ulnar radius avulsion, 173–178
      - perilunate dislocation, 184–187
      - perilunate injury with radial styloid fragment, 161–172
    - from compressive forces, 158–159
    - high-energy trauma and, 160
    - perilunate injury with radial styloid fragment
    - radiocarpal dislocation, acute, 179
    - and styloid injury, 160
    - from traction forces, 158–159
    - trans-scaphoid–transtriquetral perilunate dislocation, 188
    - volar rim fractures and
      - case example, 181–183
      - diagnosis of, 179–180
      - wrist girth and, 160
  - Ligaments
    - primary stabilizers, 210
    - secondary stabilizers, 211
  - Low-profile plate
    - for distal diaphyseal ulnar fractures, 234
    - examples of, 230, 233
  - Lunate fossa fracture repair, 130–139
- M**
- Malunion
    - combined intra- and extra-articular, 325–336
    - complex intra-articular, 311–323
    - of complicated rim fracture, 143–155
    - of extra-articular distal radius fracture, 273–281
    - intra-articular
      - basic concepts of
        - algorithm for decision-making, 283
        - arthroscopic arthrodesis, 291–293
        - arthroscopic resection arthroplasty, 287, 288–290
        - instruments for arthroscopically guided osteotomy, 285
        - metatarsal graft, 294–297
        - osteotome insertion, 286
        - reason for arthroscopically guided osteotomy, 283
        - straight-line osteotomy for, 283, 284
        - tear-line osteotomy for, 283, 284
      - with jammed fragment
        - case example, 302–323

- Malunion—cont'd  
 intra-articular—cont'd  
 with jammed fragment—cont'd  
 extended flexor carpi radialis approach, 299–301  
 Orbay approach, 299–301
- Metaphyseal comminution  
 as indicator of prognosis, 2  
 indirect reduction technique for, 196
- Metaphyseal–diaphyseal fractures, comminuted  
 arthroscopy considerations for, 189–191  
 case examples  
 compound intra-articular distal radius and ulna fracture with crush injury, 202–208  
 forearm crush injury, 200–202  
 massive metaphyseal–diaphyseal comminution with ulnar fracture, 196–200  
 metaphyseal–diaphyseal comminution with articular comminution, 191–195
- Microsurgery, 201, 205–206
- Multifragmentation of joint, as indicator of prognosis, 2
- N**
- Nonunion, radius, 207
- O**
- Orbay, Jorge, 10
- Orbay approach, 299–300
- OsiriX, 3–5, 342
- Osteotomy  
 arthroscopic-guided, 343–351, 351–356  
 Lanz's, 255  
 straight-line, 283, 284  
 tear-line, 283, 284
- Overshot screws, 16, 33, 94–95, 197–198
- P**
- Perilunate injury, management of, 161–172, 184–187
- Plates  
 buttress  
 considerations for, 112  
 for rim fractures, 142–155  
 for single volar-ulnar fragments, 45  
 for small fragments, 102–110  
 for volar shear fracture, 111–119, 120–126
- DVR  
 for comminuted metaphyseal–diaphyseal fracture, 192  
 original, 10  
 and secondary volar ulnar fragment displacement, 47
- fixed-angle  
 CT images of, 11  
 design elements of, 11  
 screw placement, 10  
 subsidence with, 11  
 volar, 10
- low-profile plate  
 for distal diaphyseal ulnar fractures, 234  
 examples of, 230, 233
- repositioning of, 32, 89
- ulnar  
 alternative strategies for, 210  
 disadvantages of, 209, 230  
 low-profile, 230, 233, 234
- volar  
 comparison of, 357  
 errors using, 358  
 flexor tendon irritation from, 359  
 rim fractures and, 358
- Platform effect, 357
- Platform-type reduction  
 for comminuted metaphyseal–diaphyseal fractures, 190, 192, 203  
 for explosion-type fractures, 242, 254, 264
- Primary stabilizers, 210, 211
- Prognosis, determinants of, 2
- Pronator quadratus, closure of, 45
- Pure articular view, 7
- R**
- Radial approach, 19–21
- Radial styloid fragment reduction, 161–172, 173–178
- Radial translation  
 case example, 29–35  
 distal radioulnar joint instability and, 212  
 in explosion-type fracture, 258  
 historical view of, 27–28
- Reduction, intraoperative confirmation of, 22
- Resistance, significance of when drilling K-wire, 89
- Rim fractures  
 case example, 143–155  
 articular view, 145  
 comminuted keystone fragment, 144  
 fragment view, 145  
 with explosion-type fracture, 252–260  
 hook plate extension for, 141  
 K-wire stabilization of, 141  
 management options  
 buttress plate placement using volar ulnar approach, 142  
 cannulated screw insertion, 142  
 distal buttress plate placement with variable-angle screws, 143  
 plates and, 141  
 specific complications of, 251
- S**
- Sauve–Kapandji procedure, 311
- Scapholunate interosseous membrane, assessment of, 83, 138
- Screw length, intraoperative assessment of, 35
- Screws  
 Acumed™ type, 219  
 Autofix-type, 219  
 Autofix™, 215, 352, 363  
 cannulated  
 for revision of distal radius and ulnar fracture repair, 223–229  
 for two-part styloid fracture, 363  
 for ulnar neck fractures, 221  
 Y-strutting configuration of, 221  
 headless cannulated, 118–121  
 lag, for explosion-type fracture, 257–258  
 nonlocking  
 for anterior sunken fragment management, 93–94  
 for comminuted metaphyseal–diaphyseal management, 197  
 for intra- and extra-articular malunion, 33  
 for intra- and extra-articular malunion management, 333  
 overshot, 16, 33, 94–95, 197–198  
 self-tapping and self-drilling, 215

- Secondary stabilizers  
 assessment of, 83  
 distal radioulnar joint and, 205, 210, 212  
 schematic of, 211  
 ulnar hypermobility and, 211
- Shoehorn technique  
 case example, 29–35  
 for complicated rim fracture, 147  
 description of, 23–25  
 for sigmoid notch pathology, 36–39  
 for volar rim impaction with soft tissue and cortical fragments, 29–35
- Sigmoid notch derangement, in complex explosion-type fracture, 261–271
- Small fragments  
 approach, 100  
 case example, 101–110  
 fragmentation prevention during reduction, 99  
 instruments for reduction of, 100
- Stabilizers  
 primary, 210, 211  
 secondary  
 assessment of, 83  
 distal radioulnar joint and, 205, 210, 212  
 schematic of, 211  
 ulnar hypermobility and, 211
- Step-off  
 with anterior sunken fragments, 91  
 with comminuted metaphyseal–diaphyseal fractures, 193, 203  
 CT technique for locating, 6  
 estimating size of, 351  
 with explosion-type fractures, 256  
 fluoroscopic assessment of, 70–71, 337  
 level 1 study results of, 364  
 in malunions  
 algorithm for decision-making, 283  
 arthroscopic management of, 273, 283, 287, 291  
 with small fragment fractures, 101  
 with volar shear fractures, 113, 116, 121, 122
- T**
- Tension band, 205
- Therapy, postoperative, 15–16
- Three-dimensional reconstructions, 9
- Traction injury, mechanics of, 158–159
- Transverse approach, 49
- Triangular fibrocartilage complex  
 tears  
 arthroscopic view of, 34, 38  
 need for treatment of, 211–212  
 radial shortening and, 210  
 secondary stabilizers and, 211
- Triangular screw configuration, 360–362
- Tripod principle, 360–362
- U**
- Ulnar carpal translocation  
 causes of, 159  
 styloid injury and, 160
- Ulnar column restoration, 26
- Ulnar fractures  
 foveal approach, 213, 217–218  
 case example, 219–220, 221–222  
 plates for, 230, 233, 234  
 revision of previous reduction, 223–229  
 ulnar neck approach, 237  
 case example, 235–238  
 ulnar styloid approach, 213  
 case example, 214–217
- Ulnar head approach  
 case example, 230–232  
 indications for, 213
- Ulnar head fracture, as indicator of prognosis, 2
- Ulnar neck approach, 237
- Ulnar pillar comminution, in complex explosion-type fracture, 261–271
- Ulnar plates  
 alternative strategies for, 210  
 disadvantages of, 209
- Ulnar styloid approach  
 case example, 214–217  
 indications for, 213
- Ulnar styloid displacement, in complex explosion-type fracture, 261–271
- V**
- Volar approach  
 combined with dorsal mini approach, 362–364  
 for volar ligament reattachment, 312
- Volar cortex mating, 22–23
- Volar plates, alternative strategies for, 360–362, 362–364
- Volar rim fractures, ligamentous injury and, 179–183
- Volar shear fractures  
 approach, 111  
 defined, 111  
 with explosion-type fracture, 253–255  
 initial reduction of, 111–113  
 reference for reduction of, 128  
 simple versus complex, 111  
 step-off management in  
 sunken dorsal fragment, 113–119  
 sunken radial fragment, 120–127
- Volar-ulnar and volar-radial combined approach, 46–48
- Volar-ulnar approach, 45
- W**
- Wrist girth, as indication or ligamentous injury, 160
- Y**
- Y-strutting, 221, 227, 235