

Index

Note: *Italic f* and *t* indicate figure and table, respectively.

A

- Abbé or lip switch, 95, 553, 553*f*, 576, 576*f*
- Abdomen, keystone flaps for, 303–309, 309*f*, 311, 314*f*
- Abdominal flap. *See also* Rectus abdominis muscle flap; Transverse rectus abdominis musculocutaneous (TRAM) flap
 - for breast reconstruction, 59–64, 502–524
 - for perineal reconstruction, 69–71, 540–545
- Abdominal muscle function, TRAM flap and, 511–512
- Abdominal wall reconstruction
 - ALT flap for, 171, 173, 175, 176
 - rectus femoris muscle flap for, 423
- Abdominoperineal wound dehiscence, SGAP flap for, 446–448, 448*f*–450*f*
- Acellular dermal matrix (ADM), in breast reconstruction, 53, 56, 57*f*–59*f*
- Acland's technique, for end-to-side anastomosis, 37*f*
- Adjunctive wound healing techniques, 26–28
- Advancement flaps, 15, 15*f*–17*f*
 - bipedicle, 15, 16*f*–17*f*
 - for burn injuries, 664–665
 - cheek, for nasal reconstruction, 587–590
 - for cheek reconstruction, 89, 90*f*–91*f*, 95
 - dorsal, for nasal reconstruction, 592–593
 - keystone, 268, 269*f*
 - for lip reconstruction, 95
 - pectoralis major muscle, 377–378, 378*f*, 381
 - single pedicle, 15, 16*f*
 - for upper face reconstruction, 82, 85
 - V-Y, 15, 17*f*, 70, 71
 - Y-V, 15
- Aesthetic reconstruction, facial. *See* Facial reconstruction, aesthetic
- Alar crease restoration, 598–600, 600*f*
- Allograft, skin, 10
- Alloplastic implants, for ear, 88
- ALT. *See* Anterolateral thigh (ALT) flap
- Amputation
 - lower limb
 - free flap loss and, 112
 - reconstruction vs., 104–107, 107*t*
 - in mission setting, 681
- Anastomosis, 33–35. *See also specific flaps and procedures*
 - alignment of, 29
 - closure procedure for, 35
 - definition of, 29
 - diameter discrepancies in, 35, 36*f*–37*f*
 - end-to-end, 35, 36*f*
 - end-to-side, 35, 37*f*
 - fish-mouth technique of, 35, 36*f*
 - patency test of, 35, 38*f*
 - preparing vessels for, 33, 33*f*
 - successful, healing of, 40
 - technical principles of, 34–35
 - thrombogenic factors in, 35, 35*t*
 - triangulation technique of, 34, 34*f*
- Angiography
 - in breast reconstruction, 62–64, 64*f*–65*f*
 - in lower limb reconstruction, 109–110
 - preoperative, 32, 44, 45–48
- Angiosome, 267
- Angiotome, 267, 268*f*
- Ankle defects, 109
 - burn injuries, 669–670
- Antecubital fossa
 - access, 116–117, 118*f*
 - anatomy, 116, 116*f*
 - burn injuries of, 669
- Anterior tibial artery, 120
 - access, 120, 122*f*
 - anatomy, 120, 121*f*–122*f*
- Anterograde flow, 29
- Anterolateral thigh (ALT) flap
 - for abdominal wall reconstruction, 171, 173, 175, 176
 - for cheek reconstruction, 92
 - free, 163–168
 - classification of, 163
 - clinical perspectives on, 167
 - fasciocutaneous, raising, 163–165, 164*f*–165*f*
 - for head and neck reconstruction, 167, 168*f*
 - hints and tips on, 167–168
 - important anatomical structures and, 167
 - patient positioning for, 163
 - suprafascial, raising, 165–167, 166*f*–167*f*
 - surface markings for, 163, 163*f*
 - vascular pedicle of, 163
 - for lip reconstruction, 96
 - for lower limb reconstruction, 109, 110, 111
 - for oropharyngeal reconstruction, 98, 100*f*–101*f*
 - pedicled, 169–178
 - anatomy and, 169–170, 169*f*–170*f*, 176
 - classification of, 169
 - clinical perspectives of, 176
 - closure of donor site, 175
 - dissecting perforators of, 171
 - fasciotomy for, 171, 172*f*
 - harvest of, 173
 - hints and tips on, 176–178
 - identifying perforators for, 171, 172*f*
 - lateral incision for, 172, 173*f*
 - medial incision for, 171, 171*f*
 - muscle taken with, 173, 173*f*
 - patient positioning for, 169
 - postoperative management of, 175
 - preparing limb for, 171
 - raising, 171–176
 - split-thickness allograft for, 175
 - subcutaneous tunnel for, 173–175, 174*f*–176*f*

surface markings for, 169–170, 170f–172f
 tension-free zone for, 175
 vascular pedicle of, 169, 169f, 172, 176, 177f
 for perineal reconstruction, 69–71, 70f–75f, 169–178, 174f, 176f–178f
 for scalp reconstruction, 82
 for temple reconstruction, 85
 Anticoagulation, in microsurgery, 38, 39t
 Approximators, microsurgical, 30f
 Arc flap. *See* Keystone flaps
 Areolar sparing mastectomy, 53, 56
 Arm free flap, lateral. *See* Lateral arm free flap
 Arm reconstruction, keystone flaps for
 clinical perspectives on, 327, 327f–329f
 design of, 322–323, 322f–323f
 vascular pedicle and blood supply for, 319–320, 319f
 Articulated arm technique, in stereotaxy, 48–49
 Aspirin, for anticoagulation, 39t
 Auricular flap, posterior, 88, 89f
 Autogenous transplantation, 29
 Autograft, skin, 10
 Axial pattern flaps, for burn injuries, 665
 Axilla, blood supply of, 301
 Axillary burn injuries, 669

B

Back, keystone flaps for, 302, 306f–308f, 313f, 315f–317f
 Behan, Felix, 267
 Bilateral rotation flaps, 19, 20f–21f
 Bilobed flaps, 19, 22f–24f
 for nasal reconstruction, 22f–24f, 92, 93f, 582–584
 anatomy and, 584
 classification of, 582
 clinical perspectives on, 583f, 584
 donor site closure, 583f, 584
 first lobe placement, 584
 graft site preparation for, 582, 583f
 hints and tips on, 584
 patient positioning for, 582
 raising, 582–584, 583f
 second lobe placement, 583f, 584
 surface markings of, 582, 583f
 vascular pedicle of, 582
 Bilobed split latissimus dorsi flap, 353
 Bipedicle advancement flap, 15, 16f–17f
 Bishop-mitre flap, 92
 Blood flow measurement, for flap monitoring, 149–150
 Bolster dressing, 9, 11f
 Bone grafts, free vascularized, for spinal reconstruction, 644–649
 approaches in, 644
 cervical spine, 645–646, 646f
 cervicothoracic and thoracic spine, 646–647, 646f–647f
 double barrel fibula strut for, 645, 645f, 647f
 indications for, 644, 644f
 lower thoracic and thoracolumbar spine, 647
 lumbar spine, 647–648, 647f–648f
 osteotomy for, 645, 645f
 planning for, 644–645
 postoperative monitoring of, 648–649
 surgical technique for, 645, 645f
 vascular pedicle of, 645
 Brachial artery, 115–116
 access, 116, 116f, 117f
 anatomy, 115, 115f
 Brachioradialis tendon, vascularized graft, 626
 Breast conservation therapy (BCT), 52

Breast reconstruction, 52–67
 adjuvant therapy and, 66
 algorithms for, 53t, 54f–55f, 62, 64t
 assessment for, 52
 autologous, 53, 53t, 58–66
 abdominal flaps for, 59–64
 advantages of, 59
 algorithm for selecting flaps in, 62, 64t
 alternative donor sites for, 64–66
 clinical cases of, 206, 207f–208f
 DIEP flap for, 55f, 59, 60–62, 61f–63f, 62t, 64t, 194–203, 206, 207f
 gracilis flap for, 239–240, 240f
 IGAP flap for, 64
 intraoperative imaging in, 62–64, 65f
 latissimus dorsi flap for, 55f, 58–59, 359, 360f, 363–365, 365f–366f
 latissimus dorsi flap for, muscle-sparing, 650–656, 656f
 morbidities associated with, 60–62, 62t
 pectoralis major muscle flap for, 55f
 preoperative imaging for, 62, 64f
 SGAP flap for, 64, 66f, 205–206, 206f, 208f, 434, 437–439, 437f–445f, 448–451
 SIEA flap for, 55f, 59, 62, 63f, 64t, 205–206, 208f
 TDAP flap for, 474–475, 477f
 TMG/TUG flap for, 55f, 64–66, 491, 491f
 TRAM flap for, 52, 55f, 59–62, 60f–61f, 62t, 64t
 TRAM flap for, free, 514–524, 523f–524f
 TRAM flap for, pedicled, 502–513
 benefits of, 52
 bilateral, 512
 burn injuries, 668
 decision making in, 53t, 54f–55f, 66
 delayed-immediate, 66, 512–513
 expander/implant (prosthetic), 53–58, 53t
 acellular dermal matrix in, 53, 56, 57f–59f
 complications of, 56–58
 device location in, 56, 57f–58f
 one-stage, 53, 56, 56f
 partial muscle coverage in, 53f, 56, 58f
 total muscle coverage, 56, 57f
 two-stage, 53–56, 53f–54f, 58f–59f
 keystone flaps for, 309–310, 310f
 options for, 52–65, 54f–55f
 recipient vessel in, internal mammary, 129–140, 194–196, 516, 517f
 anastomosis setup for, 131, 135f, 196, 197f
 controlled posterior perichondrial elevation for exposure, 131, 134f
 for DIEP flap, 194–196, 196f
 dissection with rib cartilage excision, 129–131, 130f–135f
 important considerations and pitfalls, 140
 intercostal muscles in, 137, 137f–138f
 intercostal space for, 131–137, 135f–136f
 perforator dissection, 137, 140f
 rib-sparing dissection, 131–137, 135f–138f, 194–196, 196f
 for SIEA flap, 205–206
 surgical technique, 129–137
 recipient vessel in, thoracodorsal, 141–146
 axillary dissection for exposure, 142, 142f–143f
 axillary microsurgical platform and setup, 144, 144f–145f
 experience and philosophy, 141
 nesting of abdominal flap on chest wall, 144–146, 145f–146f
 surgical technique, 141–146
 thoracodorsal dissection and transection, 142
 triangular exposure, 142, 144f
 surgeon's goal in, 53
 Bridge flap, for eyelid reconstruction, 87–88

- Buoy flaps, jejunal, 265, 266f
- Burn injuries, 664–672
- ankle and foot, 669–670
 - antecubital fossa, 669
 - axillary, 669
 - breast, 668
 - debridement of, 671
 - epidemiology of, 664
 - flaps for, 664–672
 - advancement, 664–665
 - axial pattern, 665
 - complications and failure, reducing rates of, 671
 - free, 665–666, 667f–668f
 - indications for, 664, 665
 - pedicled, 665–666, 666f
 - postoperative monitoring of, 671
 - Quaba, 642, 643, 643f
 - timing for, 670–671
 - Z-plasty, 664–665
 - hand, 642, 643, 643f, 669
 - head and neck, 666–668
 - hip, knee, and lower leg, 669–670
 - lower limb, 669–670, 684–689
 - microvascular surgery for, applications of, 665
 - in mission setting, 673f
 - peroneus brevis muscle flaps for, 684–689
 - primary and secondary reconstruction in, 665, 670–671
 - thrombosis in, 671
 - upper limb, 669
 - vascular preoperative imaging in, 671
- Buttocks
- blood supply of, 301
 - keystone flaps for, 301, 315f–317f
- C**
- Carotid artery, external
- anatomy of, 125–127, 125f
 - dissection of, 127, 127f
- Cartilage grafts
- conchal, 597, 597f–598f
 - for ear reconstruction, 88
 - for nasal reconstruction, 92, 94f
- Celsus, 104f
- Cervical spine, free vascularized bone graft for, 645–646, 646f
- Cervicosubmental island (CSI) flap, 330, 334f, 338f–339f
- Cervicothoracic spine, free vascularized bone graft for, 646–647, 646f–647f
- Cheek, as subunit of face, 5, 549, 549f
- Cheek advancement flap
- anatomy and, 590
 - classification of, 587
 - clinical perspectives on, 590
 - donor site closure, 589f, 590
 - graft site preparation for, 587
 - hints and tips on, 590
 - for nasal reconstruction, 587–590
 - patient positioning for, 587, 588f
 - raising, 588f–589f, 589–590
 - surface markings for, 587, 588f
 - vascular pedicle of, 587
- Cheek reconstruction, 88–92
- anterior-based angle rotation cheek flap for, 557–558, 557f–558f
 - fibula flap for, 569–579, 569f–570f
 - free tissue transfer for, 92
 - illustrative case reports of, 550–562, 569–579
 - lip reconstruction with, 95
 - local flaps for, 88–92
 - median forehead flap for, failed, 573–579, 574f
 - patient age and, 88–89
 - radial forearm flap for, 558–561, 559f–560f
 - rotation advancement flap for, 89, 90f–91f
 - rotation flap for, 19, 22f
 - submental artery flap for, 92
 - temporoparietal scalp flap for, 558, 558f
- Chemical leeching, of TRAM flap, 513
- Chest
- anterior
 - blood supply of, 297
 - keystone flaps for, 309–310
 - upper lateral, blood supply of, 301
- Chimeric flaps, 41
- Chin, as facial subunit, 549, 549f
- Chin, subunits of, 5, 6f–7f
- Circulation, for flaps, 12
- Circumflex scapular artery
- access, 128
 - anatomy, 128, 427–428, 427f, 428f
 - in parascapular cutaneous axial flap, 621
- Circumflex scapular artery perforator (CSAP) flap, 427–433
- anatomy and, 427f, 428, 428f
 - classification of, 427
 - clinical perspectives on, 433
 - patient positioning for, 428–429
 - raising, 429–432, 432f–433f
 - size of, 429
 - surface markings of, 428, 429f
 - vascular pedicle of, 427–428, 427f
- Clamps, microsurgical, 31
- Clinical bedside monitoring, of flaps, 147, 149, 149f
- Closure, direct, 5–9. *See also* Suture(s)
- Coaptation
- definition of, 29
 - microneural, 38
- Color Doppler ultrasound, for flap monitoring, 150
- Composite graft, conchal
- anatomy and, 605
 - classification of, 605
 - clinical perspectives on, 605–607, 606f
 - donor site closure, 605, 606f
 - graft site preparation for, 605
 - hints and tips on, 605
 - for nasal reconstruction, 605–607, 606f
 - patient positioning for, 605
 - raising, 605, 606f
 - surface markings of, 605
 - vascular pedicle of, 605
- Computed tomographic angiography (CTA), 44, 45–47, 45f
- for breast reconstruction, 62, 64f
 - for lower limb reconstruction, 109–110
- Computed tomography, multidetector, 45
- Conchal cartilage graft, 597, 597f–598f
- Conchal composite graft
- anatomy and, 605
 - classification of, 605
 - clinical perspectives on, 605–607, 606f
 - donor site closure, 605, 606f
 - graft site preparation for, 605
 - hints and tips on, 605
 - for nasal reconstruction, 605–607, 606f
 - patient positioning for, 605
 - raising, 605, 606f
 - surface markings of, 605
 - vascular pedicle of, 605
- Contiguity, of flaps, 13
- Continuous sutures, 6, 9, 9f
- Contour, of flaps, 13, 550

- Contrast-enhanced ultrasound (CEUS), for flap monitoring, 155
 Contrast medium, 46
 Cook–Swartz implantable Doppler probe, 154–155, 154f
 Cormack and Lamberty classification, of fasciocutaneous flaps, 14t
 Crane principle, 13
 Creep, 12, 275, 275f, 293, 331
 Critical ischemia time, 39
 Cross leg flap, 112
 CSAP. *See* Circumflex scapular artery perforator (CSAP) flap
 CSI. *See* Cervicosubmental island (CSI) flap
 CTA. *See* Computed tomographic angiography
 Cultural sensitivity, in mission setting, 681
 Cutler–Beard flap, for eyelid reconstruction, 87–88
- D**
 DCIA. *See* Deep circumflex iliac artery (DCIA) flaps
 Deep circumflex iliac artery (DCIA) flaps, 179–183
 anatomy and, 179, 179f–181f, 181
 classification of, 179
 clinical perspectives on, 182
 conversion to TRAM flap, 203
 hints and tips for, 182
 for mandible reconstruction, 182, 183f
 patient positioning for, 179
 raising, 179–182, 182f
 skin flap of, 179
 surface markings for, 179, 181f, 183f
 variations in, 182
 vascular pedicle of, 179
 Deep inferior epigastric artery, 301
 in rectus abdominis muscle flap, 405–406, 405f
 in TRAM flap, 514
 Deep inferior epigastric artery perforator (DIEP) flap, 184–203, 514
 for breast reconstruction, 55f, 59, 60–62, 61f–63f, 194–203
 additional venous drainage for, 196–197
 algorithm for selecting, 62, 64t
 anastomosis setup for, 196, 197f
 clinical case of, 206, 207f
 inset of, 197–199, 198f–200f
 morbidity associated with, 60–62, 62t
 preparation of recipient area for, 194, 195f–196f
 recipient vessel exposure for, 194–196, 196f
 caudal dissection of pedicle for, 192, 192f–194f
 classification of, 184
 donor site closure, 199, 201f–203f
 inferior incision and SIEV identification for, 186–189, 189f
 infiltration of abdominal incisions for, 185, 187f
 optimization of, 203
 patient positioning for, 184
 perforator identification and dissection for, 189–191, 190f–192f
 for perineal reconstruction, 72
 preoperative angiography for, 45–46, 47f
 preoperative perforators assessment for, 185, 186f
 raising, 185–203
 surface markings for, 185, 187f
 umbilical, superior, and lateral incisions for, 186, 188f
 vascular pedicle of, 184, 184f–185f
 Deep inferior epigastric perforator, 301
 Deglutition, mandible reconstruction and, 96
 Delayed-immediate breast reconstruction, 66, 512–513
 Deltopectoral flaps
 classification of, 210
 clinical perspectives on, 213
 delayed, 210
 for head and neck reconstruction, 210–213, 213f
 patient positioning for, 210
 raising, 210, 211f–212f
 surface markings for, 210
 vascular pedicle of, 210
- Dental implants, osteointegrated, 570, 570f, 573, 573f
 Dermis, 4–5, 4f
 Desault, Pierre-Joseph, 104f
 Dextrans, 39t
 DIEP. *See* Deep inferior epigastric artery perforator (DIEP) flap
 Direct closure, 5–9. *See also* Suture(s)
 DIRT. *See* Dynamic infrared thermography
 Distant flaps
 free, 13
 for head and neck reconstruction, 79
 pedicled, 18
 Dog ears, in suturing, 6, 9, 10f
 Doppler flowmetry, laser, for flap monitoring, 150
 Doppler probe, Cook–Swartz implantable, 154–155, 154f
 Doppler ultrasound, 44–45, 44f, 45f
 handheld, for flap monitoring, 149–150
 Dorsal advancement flap
 anatomy and, 592
 classification of, 592
 clinical perspectives on, 593, 593f
 donor site closure, 592, 593f
 graft site preparation for, 592, 593f
 hints and tips on, 593
 for nasal reconstruction, 592–593
 patient positioning for, 592
 raising, 592
 surface markings of, 592, 593f
 vascular pedicle of, 592
 Dorsalis pedis artery, 122–124
 access, 124, 124f
 anatomy, 124, 124f
 in dorsalis pedis flap, 628
 Dorsalis pedis flaps, 628–632
 anatomy and, 631
 classification of, 628
 clinical perspectives on, 631
 donor site reconstruction, 631
 fascial, 632
 for hand reconstruction, 628, 629f, 631
 for head and neck reconstruction, 628
 hints and tips on, 632
 innervation of, 628, 631f
 for lower limb reconstruction, 628
 osteocutaneous, 632
 for palate defects, 631
 patient positioning for, 628
 raising, 628–631, 630f–631f
 surface markings of, 628, 630f
 variations in, 632
 vascularized tendon graft with, 632
 vascular pedicle of, 628
 Dorsal metacarpal artery (Quaba) flap, 641–643
 Dorsal metatarsal flap, 642–643, 642f
 Dorsal scapular vessels, in trapezius flaps, 526, 527, 529, 533
 Double barrel fibula strut, 645, 645f, 647f
 Double barrel flap, for mandible reconstruction, 96
 Double keystone flaps, 268, 269f
 Dufourmental flap, 17f, 19
 Dynamic infrared thermography (DIRT), 49–51, 50f, 151
- E**
 Ear reconstruction, 88, 89f
 burn injuries, 668
 temporoparietal fascial flap for, 500, 500f
 EFACS. *See* Extended facial artery cheek (EFACS) flap
 Elbow reconstruction, keystone flaps for
 design of, 323–324, 324f–325f
 vascular pedicle and blood supply for, 320

- End-to-end anastomosis, 35, 36f
 End-to-side anastomosis, 35, 37f
 Epidermis, 4, 4f
 Estlander-Abbe flap, 557-558, 557f-558f
 Extended facial artery cheek (EFACS) flap, 330, 331, 333
 Extensor tendon, vascularized graft, 632
 External carotid artery
 anatomy of, 125-127, 125f
 dissection of, 127, 127f
 Eye(s), subunits of, 5
 Eyelid reconstruction, 87-88
 facial artery perforator flap for, 617
 large defects
 anterior lamella, 87-88
 posterior lamella, 88
 small defects, 87
- F**
 Face transplantation, facial alloflaps for, 608-613
 classification of, 608
 clinical perspective on, 612
 composite craniomaxillofacial disjunction of, 611
 donor preparation for, 609
 facial nerve dissection for, 610
 hints and tips for, 612-613
 lateral and inferior incisions for, 610
 neurovascular pedicle for, 608
 osteotomies for, 611, 611f
 patient positioning for, 608
 perfusion and preservation of, 612
 raising, 609-612
 superior incision, for midfacial flaps, 609-610
 superior incision, for pan-facial flaps, 609
 surface markings of, 608-609, 609f
 vascular pedicle dissection for, 610, 610f
 vascular pedicle ligation for, 612, 612f
 Facial artery, 125-126
 access, 125-126, 126f
 anatomy, 125, 126f
 Facial artery cheek subunit (FACS) flap, 330, 331, 333, 335f-337f, 339, 339f-341f
 Facial artery musculomucosal (FAMM) flaps, 618-620
 anatomy and, 620
 classification of, 618
 clinical perspectives on, 620
 hints and tips on, 620
 patient positioning for, 618
 raising, 618-620, 619f
 surface markings of, 618, 618f
 variations in, 620
 vascular pedicle of, 618
 Facial artery myomucosal flap, for nasal lining, 92
 Facial artery perforator (FAP) flap
 anatomy and, 615
 classification of, 614
 clinical perspectives on, 615, 616f-617f
 donor site closure, 615, 616f
 for eyelid reconstruction, 617
 hints and tips on, 617
 inset of, 615, 616f
 for lip reconstruction, 550-553, 551f-553f
 patient positioning for, 614
 for perioral soft tissue defects, 614-617
 raising, 614-615, 614f, 615f
 surface markings of, 614
 variations in, 617
 vascular pedicle of, 614
 Facial nerve dissection, 610
 Facial reconstruction. *See also specific facial anatomy*
 aesthetic, 549-581
 contour in, 550
 defect analysis for, 549-550
 goals of, 549
 ideal donor tissues for, 550
 illustrative case reports of, 550-579
 principles of, 549-550
 reconstructive "elevator" for, 550
 single-flap, limitations of, 550
 staging of, 550
 burn injuries, 667-668
 as cornerstone of plastic surgery, 549
 facial artery perforator flaps for, 550-553, 551f-553f, 614-617, 616f-617f
 flaps for, 28f
 gracilis flap for, 242f
 historical perspective on, 549
 keystone flaps for, 330-342
 lower face, 93-96
 middle face, 87-93
 upper face, 82-85
 Facial subunits, 5, 6f-7f, 549, 549f
 FACS. *See* Facial artery cheek subunit (FACS) flap
 Failure, flap
 burn injuries, reducing rate of, 671
 free flap, management of, 42-43
 lower limb, and amputation, 112
 median forehead, in cheek reconstruction, 573-579, 574f
 radial forearm, in for nasal reconstruction, 567-573, 569f
 success vs., 147
 FAMM. *See* Facial artery musculomucosal (FAMM) flaps
 FAP. *See* Facial artery perforator (FAP) flap
 Fascial flap. *See also specific procedures*
 dorsalis pedis, 632
 lateral arm, 347
 temporoparietal, 493-500
 Fasciocutaneous flaps, 25, 28f. *See also specific flaps*
 anterolateral thigh, raising, 163-165, 164f-165f
 circulation for, 12
 Cormack and Lamberty classification of, 14t
 for forehead reconstruction, 82
 keystone, 267-281
 for lower leg reconstruction, 104, 108, 109, 111
 radial forearm, 394-404
 ulnar artery forearm, 535-539
 Fat necrosis, TRAM flap and, 512
 Fibronectin, 4
 Fibula flaps
 double barrel strut, 645, 645f, 647f
 for mandible reconstruction, 79, 96, 97f-98f, 221, 222f
 for oromandibular full-thickness defects, 657-660
 double skin paddle, 658, 659f, 660
 perforators of, 658-660, 659f-660f
 postoperative morbidity with, 661-662
 single skin paddle, 657, 657f, 658
 single skin paddle with de-epithelialized bridge, 657, 658, 658f
 soleus inclusion in, 659-660, 660f
 osteomyocutaneous
 for nasal and cheek reconstruction, 569-579, 569f-570f
 surface markings of, 569, 569f
 osteoseptocutaneous, 214-223
 anatomy and, 221
 anterior incision for, 217f, 219-220
 classification of, 214
 clinical perspectives on, 221
 dissection order for, 214, 214f-216f
 donor site closure, 221
 hints and tips on, 221

- interosseous membrane division for, 217f–218f, 220
- intramuscular vessels for, 220
- limb preparation for, 219
- muscle detachment for, 217f–218f, 220
- osteotomies for, 218f, 220
- patient positioning for, 214
- posterior incision for, 217f–218f, 220
- raising, 219–221
- retrograde pedicle dissection for, 218f–219f, 221
- surface markings for, 214–219, 217f–219f
- vascularity of, checking, 219f, 221
- vascular pedicle of, 214, 214f–215f
- for spinal reconstruction, 644–649
- Fibular (peroneal) artery, reverse sural flap, 460, 460f
- Fiducial marking, in stereotaxy, 48–49, 48f
- Fish-mouth technique, of anastomosis, 35, 36f
- Five-flap plasty, 25
- Flap(s), 12–28. *See also specific flaps and procedures*
 - advancement, 15, 15f–17f
 - bilobed, 19, 22f–24f
 - circulation for, 12
 - classification of, 12, 14t, 15f
 - composition of, 12–13
 - contiguity of, 13
 - contour of, 13, 550
 - Crane principle for, 13
 - definition of, 12
 - facial, various, 28f
 - failure, success vs., 147
 - fasciocutaneous, 25, 28f
 - five-flap plasty, 25
 - four-flap plasty, 25
 - free, 25–26, 29, 40–43, 41t
 - interpolation, 19–25
 - jumping man, 25, 27f
 - in mission setting, 673–683
 - monitoring of, 42, 147–160
 - blood flow measurement for, 149–150
 - challenges in, 148, 149
 - clinical bedside, 147, 149, 149t
 - history of, 147f
 - implantable probes for, 152–155
 - injectable agents for, 155
 - invasive techniques for, 147, 148f, 152–155
 - microdialysis for, 152, 152t, 153f
 - noninvasive techniques for, 147, 148f, 149–152
 - oxygenation measurement for, 150–151
 - routine for, 149
 - skin paddle for, 148
 - temperature measurement for, 151, 152
 - variations in, 147–148
 - visual assessment for, 151–152
 - muscle, 25–26
 - perforator, 26, 41
 - planning, preoperative imaging for, 44–51
 - rotation, 19, 20f–22f
 - transposition, 15–19, 17f–19f
 - types of, 15–26
 - workhorse, 677, 678t–679t
 - W-plasty, 25, 26f
 - Z-plasty, 25, 25f, 26t, 664–665
- Flow, anterograde or retrograde, 29
- Flowmetry, laser Doppler, for flap monitoring, 150
- Flow-through, 29
- Fluorescent angiography, in breast reconstruction, 62–64, 65f
- Fluorometry, for flap monitoring, 155
- Foot reconstruction
 - burn injuries, 669–670
 - dorsal metatarsal flap for, 642–643, 642f
 - groin/SCIP flap for, 246–247, 247f–249f
 - keystone flaps for, 291, 292f
 - reverse sural flap for, 467–468, 467f–468f
- Forceps, microsurgical, 29, 30f
- Forearm flaps
 - radial, 394–404, 624–627
 - anatomy and, 399, 605, 625–626
 - for cheek reconstruction, 92, 558–561, 559f–560f
 - classification of, 394, 603, 624
 - clinical perspectives on, 399, 604f, 605, 626, 626f
 - donor site closure, 399, 401f, 605
 - graft site preparation for, 603, 604f
 - for hand reconstruction, 626, 626f, 627f
 - hints and tips on, 605, 626
 - incision and suprafascial harvest, 395, 396f
 - for lip reconstruction, 96
 - for mandible reconstruction, 96
 - for nasal reconstruction, 558–566, 559f–560f, 564f–565f, 603–605, 604f
 - for nasal reconstruction, failed, 567–573, 569f
 - for oral cavity reconstruction, 98–102, 99f–100f
 - patient positioning, 395
 - patient positioning for, 603, 624
 - for phallus reconstruction, 72, 77f
 - raising, 395–399, 395f–400f, 604f, 605, 624–625, 625f
 - recipient vessels for, 603
 - for scalp reconstruction, 82, 626, 626f
 - surface markings of, 395, 395f–396f, 558–559, 559f, 563–564, 564f, 605, 624, 624f
 - for temple reconstruction, 85, 86f–87f
 - for tongue reconstruction, 401, 402f–403f
 - variations in, 626, 627f
 - vascularized tendon graft with, 626, 627f
 - vascular pedicle of, 394, 394f, 395–399, 397f–400f, 603, 624
 - ulnar artery fasciocutaneous, 535–539
 - anatomy and, 538
 - classification of, 535
 - clinical perspectives on, 538, 538f
 - donor site closure, 538
 - hints and tips on, 539
 - innervation of, 535
 - limb preparation for, 535–536
 - patient positioning for, 535
 - radial forearm flap vs., 538
 - radial incision for, 536
 - raising, 535–538, 536f–538f
 - retrograde pedicle dissection for, 537, 537f
 - surface markings of, 535, 535f–536f
 - ulnar incision for, 536, 536f–537f
 - variations in, 539
 - vascularity of, checking, 538, 538f
 - vascular pedicle of, 535
- Forearm reconstruction
 - bilateral rotation flap for, 21f
 - burn injuries, 669
 - keystone flaps for
 - design of, 323–324, 324f–325f
 - vascular pedicle and blood supply for, 319–322, 320f
- Forehead, as facial subunit, 5, 549, 549f
- Forehead flap
 - failed median, 573–579, 574f
 - for nasal reconstruction, 553–555, 553f–556f, 565–567, 565f–567f
 - paramedian (*See* Paramedian forehead flap)
- Forehead reconstruction, 82
 - bilateral advancement flap for, 16f–17f
 - fasciocutaneous flap for, 82
 - rotation flap for, 19, 21f
 - skin grafts for, 82, 84f–85f
- Forehead w-plasty, 26f

- Four-flap plasty, 25
- Free flaps, 25–26, 29, 40–43. *See also specific flaps and procedures*
- chimeric, 41
 - clinical observation of, 42
 - distant, 13
 - failing, management of, 42–43
 - failure, success vs., 147
 - free style, 42
 - innervated, 42
 - monitoring of, 42, 147–160
 - blood flow measurement for, 149–150
 - challenges in, 148–149
 - clinical bedside, 147, 149, 149t
 - history of, 147f
 - implantable probes for, 152–155
 - injectable agents for, 155
 - invasive techniques for, 147, 148f, 152–155
 - microdialysis for, 152, 152t, 153f
 - noninvasive techniques for, 147, 148f, 149–152
 - oxygenation measurement for, 150–151
 - routine for, 149
 - skin paddle for, 148
 - temperature measurement for, 151, 152
 - variations in, 147–148
 - visual assessment for, 151–152
 - perforator, 41
 - prefabrication, 42
 - workhorse, 40, 41t
- Free skin graft, 10f–11f
- Free style flaps, 42
- Free tissue transfer, 29, 40–43. *See also Free flaps*
- endoscopic techniques in, 42
 - historical milestones in, 40, 40t
 - improving design and reducing morbidity in, 41–42
 - monitoring in, 42
 - patient selection criteria for, 41
 - refinements in, 41–42
 - supramicrosurgery in, 41–42
- Free vascularized bone grafts
- advantages of, 644
 - for spinal reconstruction, 644–649
 - approaches in, 644
 - cervical spine, 645–646, 646f
 - cervicothoracic and thoracic spine, 646–647, 646f–647f
 - double barrel fibula strut for, 645, 645f, 647f
 - indications for, 644, 644f
 - lower thoracic and thoracolumbar spine, 647
 - lumbar spine, 647–648, 647f–648f
 - osteotomy for, 645, 645f
 - planning for, 644–645
 - postoperative monitoring of, 648–649
 - surgical technique for, 645, 645f
 - vascular pedicle of, 645
- FTSG. *See Full thickness skin graft*
- Full thickness skin graft (FTSG), 10, 10f
- G**
- Gastrocnemius flap
- anatomy and, 224, 225f–227f
 - classification of, 224
 - clinical perspectives on, 228
 - hints and tips on, 228–229
 - for lower limb reconstruction, 109, 228–229, 229f
 - medial, 224, 228f
 - patient positioning for, 224
 - raising, 224, 228f
 - surface markings for, 224
 - variations in, 228
 - vascular pedicle of, 224
- Glabella flap
- anatomy and, 592
 - classification of, 590
 - clinical perspectives on, 592, 592f
 - donor site closure, 591f, 592
 - graft site preparation for, 590
 - for nasal reconstruction, 567, 568f, 590–592
 - patient positioning for, 590
 - raising, 590–592
 - surface markings of, 590, 591f
 - vascular pedicle of, 590
- Gluteal arteries, 301
- Gluteal artery flaps. *See Inferior gluteal artery myocutaneous flap; Superior gluteal artery perforator (SGAP) flap*
- Gluteal thigh flaps, 376–377, 389–390
- anatomy and, 377, 390
 - for breast reconstruction, 64, 66f
 - donor site closure, 376, 389
 - patient positioning for, 376, 389
 - for perineal reconstruction, 69–71
 - raising, 376, 377f, 389, 390f
 - surface markings of, 376, 389
 - vascular pedicles of, 376, 389
- Godina, Marco, 104f, 107–108
- Gracilis muscle flap, 230–242
- anatomy and, 239
 - for breast reconstruction, 239–240, 240f
 - classification of, 230
 - clinical perspectives on, 239–240, 240f–242f
 - donor site closure, 237–238, 239f
 - for facial reconstruction, 242f
 - hints and tips on, 240
 - incision for, 231–232, 234f–236f
 - limb preparation for, 231
 - for lip reconstruction, 96
 - for lower limb reconstruction, 110
 - muscle detachment for, 233–234, 238f
 - myocutaneous, 70–71, 72f, 73f, 240
 - patient positioning for, 230, 231f
 - perforator vessels for, 230
 - raising, 231–238
 - retrograde pedicle dissection for, 232–233, 237f
 - skin paddle techniques for, 238–239
 - surface markings for, 230–231, 231f–233f
 - transverse myocutaneous (*See Transverse myocutaneous gracilis (TMG) flap*)
 - for vaginal reconstruction, 241f
 - vascularity of, checking, 234
 - vascular pedicle for, 230
 - vessel ligation for, 234–237, 238f
- Groin flap, 243–249
- anatomy and, 246
 - assessing and preparing recipient site for, 244–245
 - classification of, 243
 - clinical perspectives on, 246–247, 247f–249f
 - donor site closure, 246
 - elevation in deep fascial plane, 245, 245f
 - hints and tips on, 250
 - for lip reconstruction, 96
 - for oromandibular full-thickness defects, 660–661, 661f
 - patient positioning for, 243
 - for perineal reconstruction, 70, 71, 72
 - raising, 244–246
 - retrograde pedicle dissection for, 246, 246f
 - surface markings for, 244, 244f
 - vascular pedicle of, 243, 243f
 - vessel identification in, 246, 246f
- Gustilo–Anderson classification, of tibial fractures, 106, 106t

- H**
- Handheld Doppler ultrasound, 149–150
- Hand reconstruction
- burn injuries, 642, 643, 643f, 669
 - dorsalis pedis flap for, 628, 629f, 631
 - keystone flaps for
 - design of, 326–327, 326f
 - vascular pedicle and blood supply for, 321f, 322
 - Quaba flap for, 642, 642f–643f
 - radial forearm flap for, 626, 626f, 627f
- Hannover Fracture Scale-97 (HFS-97), 106
- Head and neck recipient vessels, 125–127
- Head and neck reconstruction, 79–103. *See also specific anatomic structures*
- ALT flap for, 167, 168f
 - animation issues in, 79
 - assessment for, 79
 - burn injuries, 666–668
 - challenges of, 79
 - DCIA flap for, 182, 183f
 - deltpectoral flaps for, 210–213, 213f
 - distant flaps for, 79
 - dorsalis pedis flap for, 628
 - fibula flap for, 221, 222f
 - free flaps for, 79
 - groin/SCIP flap for, 246–247
 - keystone flaps for, 278f–280f, 330–342
 - assessing vascularity of, 337
 - clinical perspectives on, 339, 339f–341f
 - closure and tension of, 337–338
 - defect and pathology in, 331
 - degree of islanding and ligament release in, 331–333
 - documentation and reoperation, 338, 338f
 - marking out, creep, and mobilization of, 331, 335f–337f
 - preserving neurovascular structures and maintaining venous drainage with, 333–337
 - technique in, 331–338
 - vascular pedicles and blood supply for, 330–331, 332f–335f
 - lateral arm free flaps for, 343–347
 - latissimus dorsi flap for, 359, 361f
 - local flaps for, 79
 - options for, 80–102
 - origins of plastic surgery in, 79
 - parascapular flap for, 623
 - patient factors in, 79
 - pedicle major muscle flap for, 96, 102, 381, 386, 387f
 - preoperative planning/imaging for, 79
 - radial forearm flap for, 399
 - sensory issues in, 79
 - static vs. dynamic tissue, 79
 - surgeon factors in, 79
 - temporoparietal fascial flap for, 500, 500f
 - trapezius flap for, 531, 532f–534f
- Hemisoleus flap, 109, 452, 455, 458, 459f
- Heparin
- low-molecular weight, 39t
 - unfractionated, 39t
- Hernia, TRAM flap and, 511
- HFS-97. *See* Hannover Fracture Scale-97
- Hinge-over flap, for nasal lining, 92
- Hip, burn injuries of, 669–670
- Hippocrates, 104f
- Horizontal mattress sutures, 6–7, 9f
- Hughes procedure, 88
- Hunter's canal, 120f, 121f
- Hydrogen clearance, in flap monitoring, 152
- I**
- ICAP. *See* Intercostal artery perforator flap
- Iliac crest flap
- for mandible reconstruction, 96
 - for oromandibular full-thickness defects, 660–661, 661f, 662f
 - for spinal reconstruction, 644, 648
- Illumination, in microsurgery, 29, 29t
- IMA. *See* Internal mammary artery
- Implantable probes, for flap monitoring, 152–155
- Indocyanine green (ICG) dye, 64, 65f
- Inferior gluteal artery, 301
- Inferior gluteal artery myocutaneous flap, 251–258
- anatomy and, 257
 - classification of, 251
 - clinical perspectives on, 257, 257f–259f
 - dissection of fascia lata for, 254, 254f–255f
 - dissection of gluteus maximus inferior edge for, 252, 253f
 - dissection of main inferior gluteal artery for, 254
 - division of descending branch for, 254, 255f
 - donor site closure, 254
 - hints and tips on, 257–258
 - inferior incision for, 252, 252f
 - inset of, 254–257, 256f, 257f
 - patient positioning for, 251
 - raising, 252–257
 - superior incision for, 252, 253f
 - surface markings for, 251–252, 252f
 - vascular pedicle of, 251, 251f
- Inferior gluteal artery perforator (IGAP) flap, for breast reconstruction, 64
- Inflammation, in wound healing, 3, 3f
- Infrared thermography, dynamic, 49–51, 50f, 151
- Injectable agents, for flap monitoring, 155
- Innervated flaps, 42
- Instrumentation, microsurgical, 29–31, 29t, 30f
- Intercostal arteries
- in pectoralis major muscle flap, 375, 384
 - posterior, in trunk reconstruction, 297, 298f
- Intercostal artery perforator flap (ICAP), 55f
- Intercostal muscles, in internal mammary artery dissection, 137, 137f–138f
- Intercostal space, in internal mammary artery dissection, 131–137, 135f–136f
- Internal mammary artery (IMA), 127
- access, 127
 - anatomy, 127, 129, 297
 - as recipient vessel in breast reconstruction, 129–140, 194–196, 516, 517f
 - anastomosis setup for, 131, 135f, 196, 197f
 - controlled posterior perichondrial elevation for exposure, 131, 134f
 - for DIEP flap, 194–196, 196f
 - dissection with rib cartilage excision, 129–131, 130f–135f
 - important considerations and pitfalls, 140
 - intercostal muscles in, 137, 137f–138f
 - intercostal space for, 131–137, 135f–136f
 - perforator dissection, 137, 140f
 - rib-sparing dissection, 131–137, 135f–138f, 194–196, 196f
 - for SIEA flap, 205–206
 - surgical technique, 129–137
 - as vascular pedicle in pectoralis major muscle flap, 375, 384
- Internal pudendal artery, 301, 301f–302f
- Internal thoracic arteries, 297–301, 298f
- Interpolation flaps, 19–25
- Invasive monitoring, of flaps, 147, 148f, 152–155
- Ischemia-reperfusion injury, in microsurgery, 39–40

- Ischemia time
 critical, 39
 primary, 39
 secondary, 39
- Ischial wounds, posterior thigh perforator flap for, 391, 391f
- Islanding, in keystone flaps, 267–268, 271, 272f–274f, 293, 331–333
- Island nasolabial flap, 584–587, 585f–586f
- Isograft, skin, 10
- J**
- Jejunal flap
 anastomosis for, 260–264, 264f–265f
 anatomy and, 264
 bowel division for, 260, 263f
 bowel transillumination for, 260, 261f
 buoy, 265, 266f
 for circumferential pharyngolaryngectomy defects, 259–266, 266f
 classification of, 259
 clinical perspectives on, 265
 donor site closure, 264, 265f
 hints and tips on, 265–266
 jejunal emptying and clamping for, 260, 262f
 patient positioning for, 260
 postoperative care, 264
 raising, 260–264
 suture marking for, 260, 261f
 upper abdominal midline incision for, 260, 260f
 variations in, 265
 vascular pedicle of, 259, 259f, 260, 262f, 263f
- Jumping man flap, 25, 27f
- K**
- Karapandzic flaps, 95–96
- Keystone flaps, 267–281
 assessing defect for, 271
 classification of, 267
 clinical perspectives on, 276–281, 296
 creep and suturing in, 275, 275f, 293
 degree of islanding in, 267–268, 271, 272f–274f, 293, 331–333
 documentation of, 276, 294, 338
 double, 268, 269f
 elevation of, 270–276
 design and principles of, 271–276
 free flap surgery vs., 270–271
 for head and neck reconstruction, 278f–280f, 330–342
 assessing vascularity of, 337
 clinical perspectives on, 339, 339f–341f
 closure and tension of, 337–338
 defect and pathology in, 331
 degree of islanding and ligament release in, 331–333
 documentation and reoperation, 338, 338f
 marking out, creep, and mobilization of, 331, 335f–337f
 preserving neurovascular structures and maintaining venous drainage with, 333–337
 technique in, 331–338
 vascular pedicles and blood supply for, 330–331, 332f–335f
 hints and tips on, 281, 294–296
 history and development of, 267, 267f
 for lower limb reconstruction, 282–296
 anesthesia and tourniquet for, 291
 foot, 291, 292f
 knee, 282–289, 289f
 leg, 289–291, 290f–291f, 294f–295f
 special considerations in, 282
 technique in, 291–294
 thigh, 282, 288f–289f
 vascular pedicle and blood supply of, 282, 283f–287f, 293
 mobilization types of, 268, 269f
 neurovascular structures in, maintaining, 273f, 274, 293, 333–337
 postoperative splinting with, 275–276, 294
 principles of, 267, 268f, 270–276
 single, 268, 269f
 skin grafting with, 268, 269f, 275, 276f–277f, 293–294, 338
 surface markings for, 271, 271f–272f, 293
 for trunk reconstruction, 297–317
 abdomen, 311, 314f
 anterior chest, 309–310
 back, 302, 306f–308f, 313f, 315f
 breast, 309–310, 310f
 buttock, 310–311, 315f
 hints and tips on, 311, 312f–317f
 lateral trunk and abdomen, 303–309, 309f, 311
 perineal, 310–311, 311f–312f
 reliability and advantages of, 297
 subregions and planning for, 302–311
 for upper limb reconstruction, 317–329
 arm, 319–320, 319f, 322–323, 322f–323f, 327, 327f–329f
 clinical perspectives on, 327, 327f–329f
 design of, 322–327
 elbow region, 320, 323–324, 324f–325f
 forearm, 319–322, 320f, 323–324, 324f–325f
 hand, 321f, 322, 326–327, 326f
 vascular pedicles and blood supply for, 317–322, 319f–321f
 vascularity of, checking, 275, 293, 337
 vascular pedicle of, 270–271, 282, 293, 317–322, 330–331
 Keystone island flap (KIF), 267. *See also* Keystone flaps
 Knee reconstruction, 109. *See also* Lower limb reconstruction
 burn injuries, 669–670
 keystone flap for, 282–289, 289f
- L**
- Lamella, eyelid
 anterior, 87–88
 posterior, 88
- Langer lines, 5, 5f–6f
- Laser Doppler flowmetry, for flap monitoring, 150
- Lateral arm free flap
 anatomy and, 346
 classification of, 343
 clinical perspectives on, 346
 donor site closure, 346, 346f
 for head and neck reconstruction, 343–347
 hints and tips on, 347
 for lip reconstruction, 96
 patient positioning for, 343, 344f
 raising, 344–346, 344f–347f
 surface markings for, 343, 344f
 variations of, 346–347
 vascular pedicle for, 343, 343f
- Lateral circumflex femoral artery (LCFA)
 in anterolateral thigh flap, 163, 169, 169f, 171, 172, 177f
 in rectus femoris muscle flap, 417, 417f
- Lateral split latissimus dorsi flap, 353
- Lateral thoracic artery, 128
 access, 128
 anatomy, 128
 in pectoralis major muscle flap, 374f, 375, 384
- Latissimus dorsi (LD) flaps
 for breast reconstruction, 55f, 58–59, 359, 360f, 363–365, 365f–366f, 650–656, 656f
 free, 348–357

- anatomy and, 353
classification of, 348
clinical perspectives on, 355, 356f
donor site closure, 351, 352f
hints and tips on, 356
patient positioning for, 349–350, 351f
postoperative management of, 353
raising, 350–351
sensory innervation of, 349, 349f
surface markings of, 350
variations in, 353, 354f–355f
vascular pedicle of, 348–349, 348f, 351, 352f
- for head and neck reconstruction, 359, 361f
for lower limb reconstruction, 110
muscle-sparing, 475, 650–656
anatomy and, 654
classification of, 650
clinical perspectives on, 654–656, 656f
delivery into defect, 654, 655f
dissecting fascial flap for, 652–653, 652f–653f
dissecting skin flaps for, 652
donor site closure, 654
hints and tips on, 656
muscle strip for, 653–654, 653f–655f
patient positioning for, 650, 651f
preparing field for, 651
raising, 651–654, 652f–655f
surface markings of, 650–651, 651f
vascular pedicle of, 650, 650f
- pedicled, 358–367
anatomy and, 358–359, 358f, 364–365
classification of, 358
clinical perspectives on, 365
donor site closure, 364, 365f
ellipse orientation of, 359, 361f
hints and tips on, 365–366
inset of, 364, 366f
patient positioning for, 359
raising, 359–364, 362f–365f
subcutaneous tunnel for, 363, 365f
surface markings of, 359, 359f, 360f
vascular pedicle and innervation of, 358
- for scalp reconstruction, 82, 83f–84f, 355, 356f
for temple reconstruction, 85
- LCFA. *See* Lateral circumflex femoral artery
LD flaps. *See* Latissimus dorsi (LD) flaps
Leg defects. *See also* Lower limb reconstruction
burn injuries, 669–670
keystone flaps for, 289–291, 290f–291f, 294f–295f
lower third leg, 109
middle third, 109
proximal third, 109
reverse sural flap for, 467–468, 467f–468f
- Limberg (rhomboid) flap, 15–19, 17f–19f, 633–640
choice, guiding principles of, 640, 640f
classic, 633, 634f
dependency and pin cushioning for, 640
drawing angles for, 633, 633f–635f
drawing lesion for, 633, 634f
excision margin for, 633, 634f
fixed points lacking in, 635, 635f
four potential flaps in, 633, 634f
line of maximum extensibility in, 635
modified, 639, 639f
orientation of, difficulty with, 635–636
relaxed skin tension line in, 635, 636–637, 636f–639f
for scalp reconstruction, 81
scar vs. standing cutaneous cone for, 640
- skin laxity for, 640
standard geometric model of, 635, 636f
tension and landmarks for, 640
transposition of, 633–635, 635f
20-degree rule for, 636–637, 636f
- Limb Salvage Index (LSI), 106
Lingual artery, 127
access, 127
anatomy, 127
- Lip(s), subunits of, 5, 6f–7f
Lip reconstruction, 93–96
Abbé or lip switch for, 95, 553, 553f, 576, 576f
advancement flaps for, 95
cheek reconstruction with, 95
Estlander–Abbe flap for, 557–558, 557f–558f
facial artery musculomucosal flap for, 620
facial artery perforator flap for, 550–553, 551f–553f
functional considerations in, 96
gracilis free flap for, 96
illustrative case reports of, 550–562
Karapandzic flaps for, 95–96
local flaps for, 93–95
radial forearm flap for, 96
- Local flaps, 15–19. *See also specific flaps and procedures*
for cheek reconstruction, 88–92
for head and neck reconstruction, 79
for lip reconstruction, 93–95
for lower limb reconstruction, 109
for nasal reconstruction, 92, 93f
for upper face reconstruction, 85
- Loupes, surgical, 29, 29t
Lower face reconstruction, 93–96
Lower limb injury
algorithm for managing, 105f
assessment of, 104–106
scoring systems for, 106–107, 106t
- Lower limb recipient vessels, 110, 118–124
Lower limb reconstruction, 104–114
ALT flap for, 109, 110, 111
amputation vs., 104–107, 107t
burn injuries, 669–670, 684–689
cross leg flap for, 112
dorsalis pedis flap for, 628
fasciocutaneous vs. muscle flaps for, 104, 108, 109, 111
“fix and flap” concept in, 107–108
free flap loss and amputation in, 112
free tissue transfer for, 104, 108, 109, 110
gastrocnemius flap for, 109, 228–229, 229f
gracilis flap for, 110
groin/SCIP flap for, 246–247, 247f–249f
hemisoleus flap for, 109, 459f
historical perspective on, 104, 104f
keystone flaps for, 282–296
anesthesia and tourniquet for, 291
foot, 291, 292f
knee, 282–289, 289f
leg, 289–291, 290f–291f, 294f–295f
special considerations in, 282
technique in, 291–294
thigh, 282, 288f–289f
vascular pedicle and blood supply of, 282, 283f–287f, 293
- latissimus dorsi flap for, 110
negative pressure wound therapy in, 104, 108, 112
options for, 108–109
parascapular flap for, 110
pedicled flaps vs. free flaps for, 111
peroneus brevis muscle flap for, 684–689
Ponten type flaps for, 109, 111

- preoperative imaging for, 109–110
 - principles of, 108
 - radial forearm flap for, 399
 - recipient vessel choice in, 110
 - rectus abdominis muscle flap for, 414, 414f–415f
 - reverse sural flap for, 109, 467–468, 467f–468f
 - scapular flap for, 110
 - TDAP flap for, 475f
 - TFL-PBIF flaps for, 483
 - timing of debridement and, 107–108
 - zone of injury in, 109, 110
 - Lower third leg and ankle defects, 109
 - Low-molecular weight heparin (LMWH), 39t
 - LSI. *See* Limb Salvage Index
 - Lumbar spine, free vascularized bone graft for, 647–648, 647f–648f
 - Luminescence ratiometric oxygen imaging (LROI), for flap monitoring, 151
- M**
- Macrophages, in wound healing, 3–4
 - Magnetic resonance angiography (MRA), 44, 47–48, 47f, 109
 - Magnification, in microsurgery, 29, 29t
 - Mammary artery, internal. *See* Internal mammary artery
 - Mandible reconstruction, 96. *See also* Oromandibular full-thickness defects
 - DCIA flap for, 182, 183f
 - double barrel flap for, 96
 - fibula flap for, 79, 96, 97f–98f, 221, 222f
 - iliac crest flap for, 96
 - keystone flaps for, 278f–280f
 - microvascular tissue transfer as gold standard in, 96
 - pectoralis major muscle flap for, 96, 381, 386, 387f
 - radial forearm flap for, 96
 - scapular flap for, 96
 - Mangled Extremity Severity Score (MESS), 106
 - Mastectomy
 - nipple areolar sparing, 53, 56
 - reconstruction after (*See* Breast reconstruction)
 - skin sparing, 52, 53
 - Mastication, mandible reconstruction and, 96
 - Mathes and Nahai classification, of musculocutaneous flaps, 14t, 15f
 - Mattress sutures
 - horizontal, 6–7, 9f
 - vertical, 6–7, 8f
 - Maximum-intensity projection (MIP), 45f, 46
 - Medial femoral circumflex vessels, in gracilis flap, 230
 - Median forehead flap, failed, 573–579, 574f
 - MESS. *See* Mangled Extremity Severity Score
 - Metacarpal reconstruction, radial forearm flap for, 399
 - Microdialysis, for flap monitoring, 152, 152t, 153f
 - Microneedles, 31
 - Microneural coaptation, 38
 - Microscopes, operating, 29, 29t
 - magnification and illumination, 29, 29t
 - recipient vessel selection under, 32–33
 - Microsurgery, 29–43
 - anastomosis in, 29, 33–35, 33f, 40
 - applications of, 40, 43
 - coaptation in, 29, 38
 - definition of, 29
 - experience and disposition for, 31
 - future of, 43
 - instrumentation for, 29–31, 29t, 30f
 - ischemia-reperfusion injury in, 39–40
 - magnification and illumination in, 29, 29t
 - no-reflow phenomenon in, 39–40
 - physiological concepts in, 38–40
 - planning for, 31
 - recipient vessels in, 115–128
 - recipient vessels in, choosing, 32–33, 32f
 - setup for and comfort in, 31, 31t
 - technique in, 31–35
 - thrombogenesis and anticoagulation in, 38, 39t
 - vasospasm in, 38, 38t
 - Microsurgical coaptation, 29
 - alignment of, 29
 - definition of, 29
 - microneural, 38
 - Microsutures, 31
 - Microtia reconstruction, temporoparietal fascial flap for, 500, 500f
 - Microvasculature imaging techniques, for flap monitoring, 151–152
 - Middle face reconstruction, 87–93
 - Middle third leg defects, 109
 - Midfacial flaps, 609–610
 - Milking patency test, of anastomosis, 35, 38f
 - MIP. *See* Maximum-intensity projection
 - Mission setting, 673–683
 - amputation in, 681
 - basic operative technique in, 675–677, 676f–677f
 - bone deformity in, 680, 681f
 - continuity of care in, 681–682
 - contracture in, 680, 681, 681f
 - cultural sensitivities in, 681
 - donor site morbidity in, 673, 673f
 - facilities in, 680
 - initial planning in, 679–680
 - injury considerations in, 681–682
 - outcomes in, 677, 680t
 - patient characteristics in, 680
 - patient compliance in, 680
 - post-conflict, 674–675, 674t
 - raising flaps in, 675–677, 675t, 676f–677f
 - reflections and considerations, 679
 - scar tissue as flap component in, 681
 - team training for, 681
 - timing of procedures in, 679
 - user's guide for, 674–675, 674t
 - workhouse flaps in, 677, 678t–679t
 - Monitoring, bone graft, 648–649
 - Monitoring, flap, 42, 147–160
 - blood flow measurement for, 149–150
 - in burn injuries, 671
 - challenges in, 148–149
 - clinical bedside, 147, 149, 149t
 - history of, 147f
 - implantable probes for, 152–155
 - injectable agents for, 155
 - invasive techniques for, 147, 148f, 152–155
 - microdialysis for, 152, 152t, 153f
 - noninvasive techniques for, 147, 148f, 149–152
 - oxygenation measurement for, 150–151
 - routine for, 149
 - skin paddle for, 148, 149
 - temperature measurement for, 151, 152
 - variations in, 147–148
 - visual assessment for, 151–152
 - MRA. *See* Magnetic resonance angiography
 - Multidetector computed tomography (MDCT), 45
 - Multispectral spatial frequency domain imaging (SFDI), for flap monitoring, 151
 - Muscle flaps, 25–26. *See also* specific muscles and procedures

- Muscle-sparing latissimus dorsi flaps, 475, 650–656
 anatomy and, 654
 classification of, 650
 clinical perspectives on, 654–656, 656f
 delivery into defect, 654, 655f
 dissecting fascial flap for, 652–653, 652f–653f
 dissecting skin flaps for, 652
 donor site closure, 654
 hints and tips on, 656
 muscle strip for, 653–654, 653f–655f
 patient positioning for, 650, 651f
 preparing field for, 651
 raising, 651–654, 652f–655f
 surface markings of, 650–651, 651f
 vascular pedicle of, 650, 650f
- Muscle-sparing TRAM flaps, 60–62, 60f–61f, 513, 514
 MS-0, 60, 60f, 514, 514f, 519, 520f
 MS-1, 60, 60f, 514, 515f, 518, 519–520
 MS-2, 60–62, 61f, 514, 515f, 518, 519–520, 520f, 521f
 MS-3, 60–62, 61f, 514
- Musculocutaneous flaps
 circulation for, 12
 lateral arm, 347
 latissimus dorsi muscle-sparing, 475
 Mathes and Nahai classification of, 14t, 15f
 oblique rectus abdominis, 70–71, 540–545
 soleus, 453, 458
 transverse rectus abdominis (*See* Transverse rectus abdominis musculocutaneous (TRAM) flap)
 transverse upper gracilis, 55f, 64–66
- Myocutaneous flap. *See also specific flaps*
 gracilis, 70–71, 72f, 73f, 240
 inferior gluteal artery, 251–258
 latissimus dorsi, 349, 350, 353
 pectoralis major muscle, 377–378, 378f, 381, 384–388
 rectus femoris muscle, 423, 424f
 transverse gracilis, 486–492
 trapezius, 526–529, 531, 533
 vertical/oblique rectus abdominis, 69–71, 540–545
- N**
- Nasal reconstruction, 92–93, 582–607
 bilobed flap for, 22f–24f, 92, 93f, 582–584
 anatomy and, 584
 classification of, 582
 clinical perspectives on, 583f, 584
 donor site closure, 583f, 584
 first lobe placement, 584
 graft site preparation for, 582, 583f
 hints and tips on, 584
 patient positioning for, 582
 raising, 582–584, 583f
 second lobe placement, 583f, 584
 surface markings of, 582, 583f
 vascular pedicle of, 582
- cheek advancement flap for, 587–590
 anatomy and, 590
 classification of, 587
 clinical perspectives on, 590
 donor site closure, 589f, 590
 graft site preparation for, 587
 hints and tips on, 590
 patient positioning for, 587, 588f
 raising, 588f–589f, 589–590
 surface markings for, 587, 588f
 vascular pedicle of, 587
- conchal composite graft for, 605–607, 606f
 anatomy and, 605
 classification of, 605
 clinical perspectives on, 605–607, 606f
 donor site closure, 605, 606f
 graft site preparation for, 605
 hints and tips on, 605
 patient positioning for, 605
 raising, 605, 606f
 surface markings of, 605
 vascular pedicle of, 605
- covering for, 92, 94f–95f
- dorsal advancement flap for, 592–593
 anatomy and, 592
 classification of, 592
 clinical perspectives on, 593, 593f
 donor site closure, 592, 593f
 graft site preparation for, 592, 593f
 hints and tips on, 593
 patient positioning for, 592
 raising, 592
 surface markings of, 592, 593f
- fibula flap for, 569–579, 569f–570f
- folded flaps for, 92
- forehead flap for, 553–555, 553f–556f, 565–567, 565f–567f
- forehead flap for, failed median, 573–579, 574f
- forehead flap for, paramedian, 19, 19f, 92, 94f–95f, 560–562, 561f–562f, 570–573, 570f–572f, 593–600
 alar crease restoration with, 598–600, 600f
 anatomy and, 600
 classification of, 593
 clinical perspectives on, 600
 conchal cartilage graft with, 597, 597f
 donor site closure, 596f, 597–598, 599f
 first incision, stage 1, 594, 595f
 first incision, stage 2, 598, 599f
 first stage, 594–598
 graft site preparation for, 594, 594f
 hints and tips on, 600
 patient positioning for, 594
 placement of, 596–597, 596f
 raising, 594–598, 595f–596f
 second stage, 598–600
 surface markings of, 594, 594f–595f
 thinning, 596, 596f
 third stage, 598–600, 600f
 vascular pedicle of, 593
- glabellar flap for, 567, 568f, 590–592
 anatomy and, 592
 classification of, 590
 clinical perspectives on, 592, 592f
 donor site closure, 591f, 592
 graft site preparation for, 590
 patient positioning for, 590
 raising, 590–592
 surface markings of, 590, 591f
 vascular pedicle of, 590
- historical perspective on, 582
- illustrative case reports of, 550–579
- lining, 92–93
- nasolabial flap for, 19, 19f, 92, 584–587
 anatomy and, 587
 classification of, 584
 clinical perspectives on, 585f–586f, 587
 donor site closure, 586f, 587
 graft site preparation of, 584, 585f
 hints and tips on, 587
 patient positioning for, 584
 pedicle division for, 587
 raising, 584–587, 586f
 surface markings of, 584, 585f
 vascular pedicle of, 584

- preauricular free flap for, 601–603
 anatomy and, 602
 classification of, 601–602
 clinical perspectives on, 603
 donor site closure, 602, 602f
 graft site preparation for, 602
 hints and tips on, 603
 patient positioning for, 602
 raising, 602, 602f
 recipient vessels for, 602
 surface markings of, 602
 vascular pedicle of, 602
- prelamination/prefabrication in, 92, 550
- principles of, 92, 550
- radial forearm flap for, 558–566, 559f–560f, 564f–565f, 603–605
 anatomy and, 603
 classification of, 603
 clinical perspectives on, 604f, 605
 donor site closure, 603
 failed, 567–573, 569f
 graft site preparation for, 603, 604f
 hints and tips on, 605
 patient positioning for, 603
 raising, 603, 604f
 recipient vessels for, 603
 surface markings of, 603
 vascular pedicle of, 603
- septal flap for, 600–601
 anatomy and, 601
 classification of, 600
 clinical perspectives on, 601
 graft site preparation for, 600–601
 hints and tips on, 601
 patient positioning for, 600
 raising, 601, 601f
 surface markings of, 601, 601f
 vascular pedicle of, 600
- stable platform for, 550
- support structures in, 93
- Nasolabial flap, 19, 19f, 92, 584–587
 anatomy and, 587
 classification of, 584
 clinical perspectives on, 585f–586f, 587
 donor site closure, 586f, 587
 graft site preparation of, 584, 585f
 hints and tips on, 587
 patient positioning for, 584
 pedicle division for, 587
 raising, 584–587, 586f
 surface markings of, 584, 585f
 vascular pedicle of, 584
- Near-infrared spectroscopy (NIRS), for flap monitoring, 150
- Neck. *See* Head and neck
- Neck, recipient vessels in, 125–127
- Needle-holder, in microsurgery, 29
- Negative pressure wound therapy (NPWT), 26, 104, 108, 112
- Nerve Injury, Ischemia, Soft-Tissue Injury, Skeletal Injury, Shock, and Age of Patient (NISSSA) Score, 106
- Neurosensory flap, lateral arm, 346–347
- Nipple areolar sparing mastectomy (NSM), 53, 56
- NISSSA. *See* Nerve Injury, Ischemia, Soft-Tissue Injury, Skeletal Injury, Shock, and Age of Patient (NISSSA) Score
- Noninvasive monitoring, of flaps, 147, 148f, 149–152
- No-reflow phenomenon, 39–40
- Nose
 reconstruction of (*See* Nasal reconstruction)
 subunits of, 5, 6f–7f, 92
- NPWT. *See* Negative pressure wound therapy
- NSM. *See* Nipple areolar sparing mastectomy
- Nuclear medicine, for flap monitoring, 155
- ## O
- Oblique rectus abdominis musculocutaneous (ORAM) flap, 70–71, 540–545
 anatomy and, 544
 classification of, 540
 clinical perspectives on, 544
 donor site closure, 544
 hints and tips on, 544–545
 incision for, 540f, 541
 inset of, 541–542, 543f
 patient positioning for, 540, 540f, 541f
 raising, 540f–545f, 541–544
 surface markings of, 540–541, 540f
 variations in, 544
 vascular pedicle of, 540
- Occipital vessels, in trapezius flaps, 526
- Ollier, Leopold, 104f
- Omental flaps, pedicled
 anatomy and, 373
 classification of, 368
 clinical perspectives on, 373
 hints and tips on, 373
 inset of, 370, 372f
 patient positioning for, 368, 369f
 for pelvis reconstruction, 373
 raising, 368–370, 370f–372f
 for sternal reconstruction, 368–373
 variations in, 373
 vascular pedicle of, 368, 368f
 for vesicovaginal fistulas, 373
- Operating microscopes, 29, 29t
 magnification and illumination, 29, 29t
 recipient vessel selection under, 32–33
- Oral cavity reconstruction, 98–102. *See also specific anatomic structures*
 ALT flap for, 98, 100f–101f
 dorsalis pedis flap for, 631
 facial artery musculomucosal flap for, 618–620, 619f–620f
 free fibula osteocutaneous flap for, 79
 pectoralis major flap for, 102
 radial forearm free flap for, 98–102, 99f–100f
 trapezius flap for, 531
- Oromandibular full-thickness defects, 657–663
 algorithms for choosing flap, 662
 fibula flap for, 657–660, 657f–660f
 double skin paddle, 658, 659f, 660
 perforators of, 658–660, 659f–660f
 postoperative morbidity with, 661–662
 single skin paddle, 657, 657f, 658
 single skin paddle with de-epithelialized bridge, 657, 658, 658f
 soleus inclusion in, 659–660, 660f
 iliac crest and groin flaps for, 660–661, 661f, 662f
- Oropharyngeal reconstruction, 100f–101f, 102
- Orticochea flap, 80, 82
- Osseointegrated appliances, for ear, 88
- Osteocutaneous flap
 dorsalis pedis, 632
 lateral arm, 346
 scapular, 432–433
- Osteointegrated dental implants, 570, 570f, 573, 573f
- Osteomusculocutaneous flaps, latissimus dorsi, 353, 355f
- Osteomyelitis, tibia reconstruction in, 414, 414f–415f
- Osteomyocutaneous flaps
 fibula
 for nasal and cheek reconstruction, 569–579, 569f–570f
 surface markings of, 569, 569f

- parascapular, 623
 pectoralis major muscle, 96, 381, 381f, 382f, 386
 trapezius, 533
- Osteoseptocutaneous fibula flaps, 214–223
 anatomy and, 221
 anterior incision for, 217f, 219–220
 classification of, 214
 clinical perspectives on, 221
 dissection order for, 214, 214f–216f
 donor site closure, 221
 hints and tips on, 221
 interosseous membrane division for, 217f–218f, 220
 intramuscular vessels for, 220
 limb preparation for, 219
 muscle detachment for, 217f–218f, 220
 osteotomies for, 218f, 220
 patient positioning for, 214
 posterior incision for, 217f–218f, 220
 raising, 219–221
 retrograde pedicle dissection for, 218f–219f, 221
 surface markings for, 214–219, 217f–219f
 vascularity of, checking, 219f, 221
 vascular pedicle of, 214, 214f–215f
- Oximetry, transcutaneous, for flap monitoring, 150
 Oxygenation measurement, for flap monitoring, 150–151
 Oxygen tension, tissue, in flap monitoring, 153
- P**
- Palate defects
 dorsalis pedis flaps for, 631
 facial artery musculomucosal flap for, 618–620, 619f–620f
- Palmaris longus tendon, vascularized graft, 626, 627f
- Pan-facial flaps, 609
- Papillary dermis, 4
- Paramedian forehead flap, 19, 19f
 alar crease restoration with, 598–600, 600f
 anatomy and, 600
 classification of, 593
 clinical perspectives on, 600
 conchal cartilage graft with, 597, 597f
 donor site closure, 596f, 597–598, 599f
 first incision, stage 1, 594, 595f
 first incision, stage 2, 598, 599f
 first stage, 594–598
 graft site preparation for, 594, 594f
 hints and tips on, 600
 for nasal reconstruction, 19, 19f, 92, 94f–95f, 560–562, 561f–562f, 570–573, 570f–572f, 593–600
 patient positioning for, 594
 placement of, 596–597, 596f
 raising, 594–598, 595f–596f
 second stage, 598–600
 surface markings of, 594, 594f–595f
 thinning, 596, 596f
 third stage, 598–600, 600f
 vascular pedicle of, 593
- Parascapular flap, 427–433
 anatomy and, 427f, 428, 428f, 622
 for cheek reconstruction, 92
 chimeric options, 433
 classification of, 427, 621
 clinical perspectives on, 433, 623
 cutaneous axial, 621–623
 donor site closure, 622, 623f
 for lower limb reconstruction, 110
 osteomyocutaneous, 623
 patient positioning for, 428–429, 621
 raising, 429–430, 429f, 431
 as free flap, 621–622
 as pedicled flap, 622
 size of, 429
 surface markings of, 428, 429f, 621, 621f
 for temple reconstruction, 85
 vascular pedicle of, 427–428, 427f, 621
- Paravertebral region, blood supply of, 297, 298f
- Pare, Ambroise, 104f
- Partial muscle coverage, in breast reconstruction, 53f, 56, 58f
- Patency test, of anastomosis, 35, 38f
- Pectoralis major muscle flaps, 374–383
 anatomy and, 379, 380f, 386
 arc of rotation, 377, 378f, 385–386, 385f
 for breast reconstruction, 55f
 classification of, 374
 clinical perspectives on, 379–381, 386, 387f
 donor site closure, 379, 380f, 386
 drain placement for, 378, 386
 hints and tips on, 381–383, 386–388
 incision placement for, 376, 376f, 385, 385f
 innervation of, 375
 inset of, 377, 379f, 386
 for mandible reconstruction, 96, 381, 386, 387f
 myocutaneous, 377–378, 378f, 381, 384–388
 for oral cavity reconstruction, 102
 osteomyocutaneous, 96, 381, 381f, 382f, 386
 patient positioning for, 375, 384
 raising, 376–379, 376f–379f, 384–386, 385f
 split-thickness skin grafting with, 378, 386
 sternal debridement for, 376
 for sternal reconstruction, 374–383, 379f, 382f–383f, 386
 surface markings of, 375–376, 375f, 384
 turnover, 376–377, 381
 variations in, 381, 386
 vascular pedicle of, 374–375, 374f, 384
- Pedicled flaps. *See also specific flaps and procedures*
 bipedicle advancement, 15, 16f–17f
 breast reconstruction, 59
 distant, 13
 dominant, free, 41t
 lower limb reconstruction, 111
 single pedicle advancement, 15, 16f
 transpositional, 19, 19f
- Pedicled lower lid-sharing flap, 88
- Pelvis reconstruction, omental flap for, 373
- Perforator flaps, 26, 41. *See also specific flaps and procedures*
- Perineal reconstruction, 69–78
 algorithm for approach in, 70–71, 71f
 ALT flap for, 69–71, 70f–75f, 169–178, 174f, 176f–178f
 assessment for, 69
 challenges of, 69
 free flaps for, 72
 gracilis myocutaneous flap for, 70–71, 72f, 73f
 inferior gluteal artery myocutaneous flap for, 254–258, 256f–258f
 keystone flaps for, 310–311, 311f–312f
 options for, 70–72
 ORAM flap for, 70–71, 540–545
 pedicle flaps for, 72
 phallus reconstruction in, 72, 77f
 rectus femoris flap for, 72, 76f
 rotation flaps for, 70, 71
 Singapore flap for, 70, 71
 tensor fascia lata flap for, 72, 76f
 VRAM flap for, 69–71, 69f, 70f, 540–545
 V-Y advancement flaps for, 70, 71
- Perineum, neurovascular supply to, 301, 301f–302f

- Perioral soft tissue defects, facial artery perforator flap for, 614–617, 616f–617f
- Periorbital rotational flaps, 88
- Peroneal (fibular) artery, reverse sural flap, 460, 460f
- Peroneal nerve, in dorsalis pedis flap, 628, 631f
- Peroneus brevis muscle flaps, for lower limb reconstruction, 684–689
 - planning for, 684
 - “take” of, 688–689, 688f
 - technique in, case example of, 684–687, 685f–688f
- PET. *See* Positron emission tomography
- pH, tissue, in flap monitoring, 153
- Phallus reconstruction, 72, 77f, 399
- Pharyngolaryngectomy defects, circumferential, jejunal flap for, 259–266, 266f
- Photoplethysmography (PPG), for flap monitoring, 150
- Pinwheel flap, for scalp reconstruction, 81
- Platelet(s), in wound healing, 3
- Polymorphonuclear cells (PMNs), in wound healing, 3
- Ponten type flaps, for lower limb reconstruction, 109, 111
- Popliteal artery, 118
 - access, 118, 120f
 - anatomy, 118
- Popliteal fossa, 118
- Positron emission tomography (PET), 155
- Post-conflict setting. *See* Mission setting
- Posterior auricular flap, 88, 89f
- Posterior intercostal arteries, 297, 298f
- Posterior thigh perforator flap, 391–393
 - for ischial closure, 391, 391f
 - patient positioning for, 391
 - postoperative care, 392
 - raising, 392, 392f–393f
 - surface markings of, 391–392
 - vascular pedicle of, 391
- Posterior tibial artery, 122
 - access, 122, 123f
 - anatomy, 122, 123f–124f
 - soleus flap, 452
- Preauricular free flap
 - anatomy and, 602
 - classification of, 601–602
 - clinical perspectives on, 603
 - donor site closure, 602, 602f
 - graft site preparation for, 602
 - hints and tips on, 603
 - for nasal reconstruction, 601–603
 - patient positioning for, 602
 - raising, 602, 602f
 - recipient vessels for, 602
 - surface markings of, 602
 - vascular pedicle of, 602
- Predictive Salvage Index (PSI), 106
- Prefabrication, flap, 42, 92, 550
- Prelamination, 42, 92, 550
- Preoperative imaging, 44–51. *See also specific imaging modalities*
- Pressure sores
 - posterior thigh perforator flap for, 391, 391f
 - sacral, SGAP flap for, 446, 446f–448f
- Primary ischemia time, 39
- Profunda femoris artery, in rectus femoris muscle flap, 417, 417f
- Proliferation, in wound healing, 3, 3f
- Proximal third leg defects, 109
- PSI. *See* Predictive Salvage Index
- Pudendal (Singapore) flap, 70, 71
- Pudendal nerve, 301, 301f–302f
- Q**
- Quaba flaps, 641–643
 - anatomy and, 641, 642
 - classification of, 641
 - clinical perspectives on, 642
 - hints and tips on, 643
 - patient positioning for, 641
 - raising, 641–642, 641f–642f
 - surface markings of, 641
 - variations in, 642, 642f–643f
 - vascular pedicle of, 641, 641f
- Quadriceps keystone flap, 282, 288f–289f
- R**
- Radial artery
 - access, 116–117, 117f–119f
 - anatomy, 116–117, 116f
 - in radial forearm flap, 394, 394f, 395–399, 397f–400f, 624
- Radial forearm flap, 394–404, 624–627
 - anatomy and, 399, 603, 625–626
 - for cheek reconstruction, 92, 558–561, 559f–560f
 - classification of, 394, 603, 624
 - clinical perspectives on, 399, 604f, 605, 626, 626f
 - donor site closure, 399, 401f, 605
 - graft site preparation for, 603, 604f
 - for hand reconstruction, 626, 626f, 627f
 - hints and tips on, 605, 626
 - incision and suprafascial harvest, 395, 396f
 - for lip reconstruction, 96
 - for mandible reconstruction, 96
 - for nasal reconstruction, 558–566, 559f–560f, 564f–565f, 603–605, 604f
 - failed, 567–573, 569f
 - for oral cavity reconstruction, 98–102, 99f–100f
 - patient positioning, 395
 - patient positioning for, 603, 624
 - for phallus reconstruction, 72, 77f
 - raising, 395–399, 395f–400f, 604f, 605, 624–625, 625f
 - recipient vessels for, 603–605
 - for scalp reconstruction, 82, 626, 626f
 - surface markings of, 395, 395f–396f, 558–559, 559f, 563–564, 564f, 603, 624, 624f
 - for temple reconstruction, 85, 86f–87f
 - for tongue reconstruction, 401, 402f–403f
 - ulnar artery forearm fasciocutaneous flap vs., 538
 - variations in, 626, 627f
 - vascularized tendon graft with, 626, 627f
 - vascular pedicle of, 394, 394f, 395–399, 397f–400f, 603, 624
- Radiation, and TRAM flap, 512
- Radioactive isotopes, for flap monitoring, 155
- Recipient vessels, 32–33, 32f, 115–128. *See also specific vessels*
 - breast reconstruction
 - internal mammary system, 129–140
 - thoracodorsal system, 141–146
 - head and neck, 125–127
 - lower limb, 110, 118–124
 - torso, 127–128
 - upper limb, 115–117
- Reconstructive ladder, 5
- Reconstructive menu, 5
- Reconstructive surgery. *See also specific procedures and flaps*
 - basic principles of, 3–28
 - direct closure in, 5–9
 - functional and cosmetic aims of, 5
 - Langer lines in, 5, 5f–6f
 - patient-specific nature of, 28
 - preoperative imaging for, 44–51
 - skin grafts in, 9–10

- techniques in, 5–26
tissue expansion in, 12
wound healing in, 3–4, 3f
- Rectus abdominis muscle flap, 405–416
anatomy and, 412–414
anterior rectus sheath incision for, 406–408, 407f–409f
for breast reconstruction, 52, 55f, 59–62
classification of, 405
clinical perspectives on, 414
completion of harvest, 409–412
dissection of muscle off posterior rectus sheath, 408, 410f
division of superior end of muscle, 408–409, 410f–411f
donor site closure, 412, 413f
hints and tips on, 415–416
oblique musculocutaneous (*See* Oblique rectus abdominis musculocutaneous (ORAM) flap)
patient positioning for, 406
for perineal reconstruction, 69–71
raising, 406–412, 407f–413f
skin incision for, 406, 407f
surface markings of, 406, 406f
for tibia reconstruction, 414, 414f–415f
transverse musculocutaneous (*See* Transverse rectus abdominis musculocutaneous (TRAM) flap)
vascular pedicle of, 405–406, 405f, 409, 412, 412f, 413f
vertical myocutaneous (*See* Vertical rectus abdominis myocutaneous flap)
- Rectus femoris muscle flap, 417–426
anatomy and, 418, 423
classification of, 417
clinical perspectives on, 423–424, 425f
cross-hatching fasciotomy for, 424, 425f
donor site closure, 423
hints and tips on, 424–426
incision for, 418, 419f
inset of, 422f, 423
limb preparation for, 418
myocutaneous, 423, 424f
patient positioning for, 417
for perineal reconstruction, 72, 76f
raising, 418–423, 419f–422f
skin flap elevation for, 418, 419f
stabilizing patellar tendon for, 423
surface markings of, 417, 418f
surgical planning for, 418
variations in, 423
vascular pedicle of, 417, 417f
- Regional flaps, 13
- Relaxed skin tension line (RSTL), in rhomboid flap, 635, 636–637, 636f–639f
SPIRO (square peg in round hole), 639, 639f–640f
- Remodeling, in wound healing, 3f, 4
- Reperfusion injury, 39–40
- Reticular dermis, 4
- Retrograde flow, 29
- Reverse axial dorsal metacarpal artery flap, 642
- Reverse lateral free arm flap, 347
- Reverse soleus flap, 455, 458
- Reverse sural flaps, 460–468
anatomy and, 463
classification of, 460
clinical perspectives on, 467–468, 467f–468f
donor site closure, 463, 465f–466f
hints and tips on, 468
incision for, 463, 463f
inset of, 463
limb preparation for, 461
for lower limb reconstruction, 109, 467–468, 467f–468f
patient positioning for, 460–461, 461f
perforator location for, 461
raising, 461–463, 463f–466f
split-thickness skin graft for, 463, 466f
surface markings of, 461, 461f, 462f
surgical planning for, 463
variations in, 465–467
vascular pedicle of, 460, 460f
- Rhomboid (Limberg) flap, 15–19, 17f–19f, 633–640
choice, guiding principles of, 640, 640f
classic, 633, 634f
dependency and pin cushioning for, 640
drawing angles for, 633, 633f–635f
drawing lesion for, 633, 634f
excision margin for, 633, 634f
fixed points lacking in, 635, 635f
four potential flaps in, 633, 634f
line of maximum extensibility in, 635
modified, 639, 639f
orientation of, difficulty with, 635–636
relaxed skin tension line in, 635, 636–637, 636f–639f
for scalp reconstruction, 81
scar vs. standing cutaneous cone for, 640
skin laxity for, 640
standard geometric model of, 635, 636f
tension and landmarks for, 640
transposition of, 633–635, 635f
20-degree rule for, 636–637, 636f
- Rib cartilage
excision
internal mammary artery dissection with, 129–131, 130f–135f
subperichondrial, 130, 132f–133f
subpectoral dissection to expose, 129–130, 130f–131f
- Rib–latissimus dorsi osteomyocutaneous flap, 353, 355f
- Rib-sparing dissection, of internal mammary artery, 131–137, 135f–138f, 194–196, 196f
- Rintala (dorsal advancement) flap
anatomy and, 592
classification of, 592
clinical perspectives on, 593, 593f
donor site closure, 592, 593f
graft site preparation for, 592, 593f
hints and tips on, 593
for nasal reconstruction, 592–593
patient positioning for, 592
raising, 592
surface markings of, 592, 593f
vascular pedicle of, 592
- Rotation flaps, 19, 20f
bilateral, 19, 20f–21f
for cheek reconstruction, 89, 90f–91f
for eyelid reconstruction, 87–88
large, 19, 21f–22f
for perineal reconstruction, 70, 71
for scalp reconstruction, 20f, 80–82, 81f–82f
transfer of, 19, 20f
for upper face reconstruction, 85
- S**
- Sacral pressure sores, SGAP flap for, 443–445, 445f–447f, 447–450
- Saddle nose deformities, 92
- Scalp reconstruction, 79–82
anterior defects, 80
assessment for, 80
burn injuries, 666–667

- latissimus dorsi flap for, 82, 83f–84f, 355, 356f
options for, 80–82
Orticochea flaps for, 80, 82
parietal defects, 80
pinwheel flaps for, 81
radial forearm flap for, 82, 626, 626f
rhomboid flaps for, 81
rotation flaps for, 20f, 80–82, 81f–82f
superficial temporal vessels in, 80
three-flap technique for, 80
total vs. subtotal defects, 82, 83f–84f
vertex and occipital defects, 81–82, 81f–82f
- Scapula–latissimus dorsi osteomusculocutaneous flap, 353
Scapular artery, circumflex. *See* Circumflex scapular artery
Scapular artery, circumflex, flap. *See* Circumflex scapular artery perforator (CSAP) flap
- Scapular defects, keystone flaps for, 302, 306f–308f
Scapular flap, 427–433
anatomy and, 427f, 428, 428f
for cheek reconstruction, 92
chimeric options, 433
classification of, 427
clinical perspectives on, 433
for lip reconstruction, 96
for lower limb reconstruction, 110
for mandible reconstruction, 96
osseocutaneous, 433
patient positioning for, 428–429
raising, 429–433, 429f, 431f
size of, 429
surface markings of, 428, 429f
for temple reconstruction, 85
vascular pedicle of, 427–428, 427f
- Scars, placement of, 5, 5f–6f
SCIP. *See* Superficial circumflex iliac perforator (SCIP) flap
Scissors, microsurgical, 30f, 31
Secondary intention healing, 26–28
Secondary ischemia time, 39
Semicircular rotational flap, for eyelid reconstruction, 87
Septal flap
anatomy and, 601
classification of, 600
clinical perspectives on, 601
graft site preparation for, 600–601
hints and tips on, 601
for nasal reconstruction, 600–601
patient positioning for, 600
raising, 601, 601f
surface markings of, 601, 601f
vascular pedicle of, 600
- SGAP. *See* Superior gluteal artery perforator (SGAP) flap
Shoulder reconstruction, trapezius flap for, 531
Sidestream dark field imaging (SDFI), for flap monitoring, 150
SIEA. *See* Superficial inferior epigastric artery (SIEA) flap
Simple interrupted sutures, 6–7, 7f
Singapore flap, 70, 71
Single keystone flaps, 268, 269f
Single pedicle advancement flap, 13, 16f
Skin
blood supply to, 4f, 5
quilted to underlying bed, 9, 12f
structure and function of, 4–5, 4f
tie-over of, 9, 12f
Skin grafts, 9–10
for anterolateral thigh flap, 175
application of, 9–10, 12f
bolster dressing for, 9, 12f
classification of, 10
donor sites for, 10
free, 10f–11f
full thickness, 10, 10f
for keystone flaps, 268, 269f, 275, 276f–277f, 293–294, 338
in mission setting, 673, 673f
for nasal lining, 92
for pectoralis major muscle flap, 378, 386
for reverse sural flap, 463, 466f
shaving of, 9, 11f
for soleus flap, 455, 457f–458f
split, 9–10, 10f–12f
“take,” 10
for temporoparietal fascia flap, 497, 497f, 499f, 500
for upper face reconstruction, 82, 84f–85f
for upper limb reconstruction, 318
- Skin paddle
for flap monitoring, 148, 149
for gracilis flap, 238–239
- Skin sparing mastectomy (SSM), 52, 53
Skin tension lines, 5, 5f–6f
Smartphone digital technology, for flap monitoring, 151
Soft touch registration, in stereotaxy, 49
Soleus flaps, 452–459
anatomy and, 452–453, 452f, 453f, 458
arc of rotation, 452, 455, 456f
avoiding danger zone in, 454, 455f
classification of, 452
clinical perspectives on, 458, 459f
donor site closure, 455, 458f
drain placement for, 455, 458f
fasciotomy for, 454
hemostasis with, 455, 458f
hints and tips on, 458–459
incision placement for, 453, 453f–454f
musculocutaneous, 453, 458
patient positioning for, 452, 452f
perforators for, 455, 455f
raising, 453–455, 453f–458f
reverse, 455, 458
split-thickness skin grafting for, 455, 457f–458f
splitting of muscle, 455
surface markings of, 452–453
variations in, 458
vascular pedicle of, 452
- Speech, mandible reconstruction and, 96
Spinal reconstruction, free vascularized bone grafts (flaps) for, 644–649
approaches in, 644
cervical spine, 645–646, 646f
cervicothoracic and thoracic spine, 646–647, 646f–647f
double barrel fibula strut for, 645, 645f, 647f
indications for, 644, 644f
lower thoracic and thoracolumbar spine, 647
lumbar spine, 647–648, 647f–648f
osteotomy for, 645, 645f
planning for, 644–645
postoperative monitoring of, 648–649
surgical technique for, 645, 645f
vascular pedicle of, 645
- SPIRO (square peg in round hole) flap, 639, 639f–640f
Split skin graft (SSG), 9–10, 10f–12f
SPY imaging, in breast reconstruction, 62–64, 65f
SSG. *See* Split skin graft
SSM. *See* Skin sparing mastectomy
STAP (superior thyroid artery perforator flap), 330
Stereotaxy, 48–49, 48f

- Sternal reconstruction
 pectoralis major muscle flap for, 374–383, 382f–383f, 386
 debridement for, 376
 inset of, 377, 379f
 split-thickness skin grafting with, 378
 pedicled omental flap for, 368–373
 anatomy and, 373
 clinical perspectives on, 373
 hints and tips on, 373
 inset of, 370, 372f
 raising, 368–370, 370f–372f
 vascular pedicle of, 368, 368f
- Stratum basale, 4
 Stratum corneum, 4
 Stratum granulosum, 4
 Stratum lucidum, 4
 Stratum spinosum, 4
 Stress relaxation, 12
 Subcutaneous suture with buried knot, 6, 7f
 Subcuticular sutures, 6–7, 8f
 Submental artery flap, for cheek reconstruction, 92
 Supercharged TRAM flap, 513
 Superficial circumflex iliac artery, 243–246, 245f, 246f
 Superficial circumflex iliac perforator (SCIP) flap, 243–249
 anatomy and, 246
 assessing and preparing recipient site for, 244–245
 classification of, 243
 clinical perspectives on, 246–247, 247f–249f
 donor site closure, 246
 elevation in suprascapular plane, 245, 245f
 hints and tips on, 250
 patient positioning for, 243
 raising, 244–246
 retrograde pedicle dissection for, 246, 246f
 surface markings for, 244, 244f
 vascular pedicle of, 243, 243f
 vessel identification in, 246, 246f
- Superficial inferior epigastric artery, 301
 Superficial inferior epigastric artery (SIEA) flap, 184–185, 203–208
 for breast reconstruction, 55f, 59, 62, 63f, 64t, 205–206
 clinical case of, 206, 208f
 inset of, 206, 206f
 recipient vessel exposure for, 205–206
 classification of, 184
 donor site closure, 206
 inferior incision and SIE vessel identification for, 203–205, 204f–205f
 patient positioning for, 184
 for perineal reconstruction, 72
 preoperative perforators assessment for, 185, 186f
 surface markings for, 185
 vascular pedicle of, 184, 184f–185f
- Superficial inferior epigastric vein, 301
 Superficial temporal artery, 125
 access, 125
 anatomy, 125, 125f
 in temporoparietal fascia flap, 493, 493f
- Superficial temporal vessels (SVT), 125, 125f
 in scalp reconstruction, 80
- Superior epigastric artery, in rectus abdominis muscle flap, 405–406, 405f, 502
 Superior gluteal artery, 301
 Superior gluteal artery perforator (SGAP) flap, 434–450
 for abdominoperineal wound dehiscence, 446–448, 448f–450f
 anatomy and, 434, 448
 for breast reconstruction, 64, 66f, 205–206, 206f, 208f, 434, 437–439, 437f–445f, 448–451
 classification of, 434
 clinical perspectives on, 448–451
 donor site closure, 438, 439, 444f, 446, 446f
 hints and tips on, 451
 patient positioning for, 437–438, 437f
 raising, 438–446, 438f–444f, 447f
 for sacral pressure sores, 446, 446f–448f
 surface markings of, 434–437, 435f–437f
 vascular pedicle of, 434
- Superior inferior epigastric vein (SIEV), identification, in raising DIEP flap, 186–189, 189f
 Superior mesenteric artery (SMA), in jejunal flap, 259, 259f
 Superior thyroid artery, 126–127
 access, 126–127, 126f
 anatomy, 126
 Superior thyroid artery perforator (STAP) flap, 330
 Supermicrosurgery, 41–42
 Suprafascial flaps, anterolateral thigh, raising, 165–167, 166f–167f
 Supramicrosurgery, 41–42
 Sural artery flap, 465–467, 466f
 Sural flaps, reverse, 460–468
 anatomy and, 463
 classification of, 460
 clinical perspectives on, 467–468, 467f–468f
 donor site closure, 463, 465f–466f
 hints and tips on, 468
 incision for, 463, 463f
 inset of, 463
 limb preparation for, 461
 for lower limb reconstruction, 109, 467–468, 467f–468f
 patient positioning for, 460–461, 461f
 perforator location for, 461
 raising, 461–463, 463f–466f
 split-thickness skin graft for, 463, 466f
 surface markings of, 461, 461f, 462f
 surgical planning for, 463
 variations in, 465–467
 vascular pedicle of, 460, 460f
- Surface temperature, in flap monitoring, 151
 Suture(s), 6–9
 continuous, 6, 9, 9f
 dog ears, 6, 9, 10f
 horizontal mattress, 6–7, 9f
 microsutures, 31
 simple interrupted, 6–7, 7f
 subcutaneous with buried knot, 6, 7f
 subcuticular, 6–7, 8f
 vertical mattress, 6–7, 8f
 wound preparation for, 9
- SVT. *See* Superficial temporal vessels
- T**
 “Take,” skin graft, 10
 Tarsal extension flap, 88
 Tarsconjunctival flap, 88
 TDAP. *See* Thoracodorsal artery perforator (TDAP) flap
 Temperature measurement, for flap monitoring, 151, 152
 Temperature probe, 152
 Temple reconstruction, 85
 flap options for, 17f–19f, 85, 86f–87f
 temporalis muscle in, 85
 Temporal vessels, superficial, 80, 125, 125f
 Temporoparietal fascia flaps, 493–501
 anatomy and, 497
 auricle elevation for, 497, 498f–499f
 classification of, 493
 clinical perspectives on, 500

- hints and tips on, 500–501
 incision and exposure for, 494, 494f–495f
 inset of, 497, 498f–499f
 patient positioning for, 493
 raising, 494–497, 494f–496f
 skin graft for, 497, 497f, 499f, 500
 surface markings of, 493–494, 494f
 vascular pedicle of, 493, 493f
- Tensor fascia lata flap, for perineal reconstruction, 72, 76f
- Tensor fascia lata perforator-based island (TFL-PBIF) flap, 478–485
 - anatomy and, 478f, 483
 - classification of, 478
 - clinical perspectives on, 483
 - design of, 480–481, 480f–481f, 483
 - donor site closure, 480, 480f, 481, 482, 483f–484f
 - hints and tips on, 483–485
 - inset of, 482, 483f–484f
 - patient positioning for, 478
 - perforator location for, 479–480, 479f
 - radical debridement for, 479, 479f
 - raising, 479–482, 479f–484f
 - surface markings of, 479, 479f
 - vascular pedicle of, 478, 478f
- TFL-PBIF. *See* Tensor fascia lata perforator-based island (TFL-PBIF) flap
- Thermography, dynamic infrared, 49–51, 50f, 151
- Thigh flaps. *See* Anterolateral thigh flap; Gluteal thigh flaps; Posterior thigh perforator flap
- Thigh reconstruction, keystone flap for, 282, 288f–289f
- Thoracic artery, lateral, 128
- Thoracic spine, free vascularized bone graft for, 646–647, 646f–647f
- Thoracoacromial artery, in pectoralis major muscle flap, 374, 374f, 384
- Thoracodorsal artery, 127–128
 - access, 128
 - anatomy, 127, 141, 297, 301, 469
 - as recipient vessel in breast reconstruction, 141–146
 - axillary dissection for exposure, 142, 142f–143f
 - axillary microsurgical platform and setup, 144, 144f–145f
 - experience and philosophy, 141
 - nesting of abdominal flap on chest wall, 144–146, 145f–146f
 - surgical technique, 141–146
 - thoracodorsal dissection and transection, 142
 - triangular exposure, 142, 144f
- Thoracodorsal artery perforator (TDAP) flap, 353, 469–477
 - anatomy and, 469, 474
 - for breast reconstruction, 474–475, 477f
 - classification of, 469
 - clinical perspectives on, 474–475
 - donor site closure, 473–474, 474f–475f
 - hints and tips on, 475–477
 - for lower limb reconstruction, 475f
 - patient positioning for, 469
 - raising, 470–474, 472f–474f
 - surface markings of, 469–470, 470f–472f
 - for upper limb reconstruction, 476f
 - vascular pedicle of, 469
- Thoracodorsal vein
 - anatomy, 141
 - as recipient vessel in breast reconstruction, 141–146
 - axillary dissection for exposure, 142, 142f–143f
 - axillary microsurgical platform and setup, 144, 144f–145f
 - experience and philosophy, 141
 - nesting of abdominal flap on chest wall, 144–146, 145f–146f
 - surgical technique, 141–146
 - thoracodorsal dissection and transection, 142
 - triangular exposure, 142, 144f
- Thoracolumbar spine, free vascularized bone graft for, 647
- Thrombosis
 - anastomosis and, 35, 35t
 - in burn injury flaps, 671
 - microsurgery and, 38
- Thumb reconstruction, radial forearm flap for, 399
- Thyroid artery, superior, 126–127, 126f
- Tibial artery. *See* Anterior tibial artery; Posterior tibial artery
- Tibial fractures, open. *See also* Lower limb injury; Lower limb reconstruction
 - classification of, 106, 106t
 - TDAP flap for, 475f
- Tibial osteomyelitis, rectus abdominis muscle flap for, 414, 414f–415f
- Tie-over, of skin graft, 9, 12f
- Tissue expansion, 12, 13f. *See also specific procedures*
 - advantages of, 12
 - clinical scenarios and technique, 12, 14f
 - creep and stress relaxation in, 12
 - disadvantages of, 12
- Tissue oxygen tension, in flap monitoring, 153
- Tissue pH, in flap monitoring, 153
- TMG. *See* Transverse myocutaneous gracilis (TMG) flap
- Tongue reconstruction, 98–102, 98f–100f
 - groin/SCIP flap for, 246–247
 - radial forearm flap for, 401, 402f–403f
 - ulnar artery fasciocutaneous flap for, 538, 538f
- Torso, recipient vessels in, 127–128
- Total muscle coverage, in breast reconstruction, 56, 57f
- TRAM. *See* Transverse rectus abdominis musculocutaneous (TRAM) flap
- Transcutaneous oximetry, for flap monitoring, 150
- Transposition flaps, 15–19
 - Dufourmental, 17f, 19
 - Limberg/rhomboid, 15–19, 17f–19f, 633–640
 - pedicle-based, 19, 19f
 - two (bilobed), 19, 22f–24f
- Transverse cervical vessels, in trapezius flaps, 525–526, 525f
- Transverse myocutaneous gracilis (TMG) flap, 486–492
 - anatomy and, 488f, 490
 - for breast reconstruction, 55f, 64–66, 491, 491f
 - classification of, 486
 - clinical perspectives on, 491
 - donor site closure, 490
 - donor site outcome, 491, 492f
 - hints and tips on, 491–492
 - incision for, 486, 489f
 - patient positioning for, 486, 486f
 - raising, 486–490, 489f–491f
 - surface markings for, 486, 487f
 - variations in, 491
 - vascular pedicle of, 486
- Transverse rectus abdominis musculocutaneous (TRAM) flap, 52, 55f, 59–62, 502–513
 - algorithm for selecting, 62, 64t
 - classic, 59
 - DCIA flap conversion to, 203
 - free, 514–524
 - abdominal incisions for, 518, 518f
 - before and after images, 523f–524f
 - anastomosis of, 522, 522f
 - classification of, 514, 514f
 - donor site closure, 523, 523f
 - fascial incision for, 518, 519f
 - inset of, 522–523, 523f
 - myotomy for, 519–520, 520f–521f
 - patient positioning for, 514, 516f
 - preparing for microsurgery, 520–522, 522f
 - raising, 516–520, 517f–521f

- recipient vessel exposure for, 516, 518f
- surface markings of, 515, 516f–517f
- morbidity associated with, 60–62, 62t
- muscle-sparing, 60–62, 60f–61f, 513, 514
 - MS-0, 60, 60f, 514, 514f, 519, 520f
 - MS-1, 60, 60f, 514, 515f, 518, 519–520
 - MS-2, 60–62, 61f, 514, 515f, 518, 519–520, 520f, 521f
 - MS-3, 60–62, 61f, 514
- pedicled, 502–513
 - abdominal muscle function after, 511–512
 - anatomy and, 509–510
 - bilateral and contralateral, 512
 - chemical leeching of, 513
 - classification of, 502
 - clinical perspectives on, 510
 - complications of, 511–512
 - cosmetic appearance and satisfaction after, 512
 - delay of, 512–513
 - double pedicle, 513
 - fat necrosis after, 512
 - hernias and bulges with, 511
 - hints and tips on, 513
 - incision for, 503, 503f
 - indications and contraindications, 510
 - inset of, 509, 510f
 - ipsilateral vs. contralateral pedicle, 510
 - necrosis and loss of, 512
 - patient positioning for, 502
 - prior abdominal incisions and, 511, 513
 - Prolene mesh for harvest defect, 508, 509f
 - radiation and, 512
 - raising, 502–509, 503f–509f
 - sensory changes after, 512
 - supercharged, 513
 - surface markings of, 502, 503f
 - variations in, 512–513
 - vascular pedicle of, 502
 - venous congestion in, 513
- Transverse upper gracilis (TUG) musculocutaneous flap.
 - See Transverse myocutaneous gracilis (TMG) flap
- Trapezius flaps, 525–534
 - anatomy and, 531
 - classification of, 525
 - clinical perspectives on, 531, 532f–534f
 - donor site closure, 530, 532f
 - free, 533–534
 - hints and tips on, 533–534
 - myocutaneous, 526–529, 531, 533
 - osteomyocutaneous, 533
 - patient positioning for, 526, 526f, 528
 - postoperative management of, 530
 - raising, 527–530, 528f–531f
 - skin paddle for, 527–529, 527f, 529f
 - subcutaneous tunnel for, 529, 530f
 - surface markings of, 526–527, 527f
 - tension-free zone for, 530, 531f
 - turnover, 533
 - variations in, 533
 - vascular pedicle of, 525–526, 525f, 529, 530f
 - wound assessment for, 528, 528f
- Triangulation technique, of anastomosis, 34, 34f
- Trochanteric defects, TFL-PBIF flaps for, 483
- Trueta, Joseph, 104f
- Trunk
 - cutaneous nerves of, 302, 304f–306f
 - dermatomes of, 302, 303f
 - keystone flaps for, 297–317
 - abdomen, 311, 314f
 - anterior chest, 309–310
 - back, 302, 306f–308f, 313f, 315f
 - breast, 309–310, 310f
 - buttock, 310–311, 315f
 - hints and tips on, 311, 312f–317f
 - lateral trunk and abdomen, 303–309, 309f, 311
 - perineal, 310–311, 311f–312f
 - reliability and advantages of, 297
 - subregions and planning for, 302–311
 - subregions of, 297, 302
 - trapezius flap for, 531
 - vascular pedicles and blood supply in, 297–301, 298f–302f
 - Tubed flap, for ear, 88
 - Turnover pectoralis major muscle flap, 376–377, 381
 - Turnover trapezius flap, 533
 - 20-degree rule, for rhomboid flap, 636–637, 636f
- U**
 - Ulnar artery, 117
 - access, 117, 119f
 - anatomy, 116f, 117, 118f
 - Ulnar artery forearm fasciocutaneous flaps, 535–539
 - anatomy and, 538
 - classification of, 535
 - clinical perspectives on, 538, 538f
 - donor site closure, 538
 - hints and tips on, 539
 - innervation of, 535
 - limb preparation for, 535–536
 - patient positioning for, 535
 - radial forearm flap vs., 538
 - radial incision for, 536
 - raising, 535–538, 536f–538f
 - retrograde pedicle dissection for, 537, 537f
 - surface markings of, 535, 535f–536f
 - ulnar incision for, 536, 536f–537f
 - variations in, 539
 - vascularity of, checking, 538, 538f
 - vascular pedicle of, 535
 - Ultrasound
 - contrast-enhanced, for flap monitoring, 155
 - conventional, 44f
 - Doppler, 44–45, 44f, 45f
 - color, for flap monitoring, 150
 - handheld, for flap monitoring, 149–150
 - Unfractionated heparin, 39t
 - Upper face reconstruction
 - advancement flaps for, 82, 85
 - ethnic consideration in, 82
 - local flaps for, 85
 - options for, 82–85
 - rotation flaps for, 85
 - skin grafting in, 82, 84f–85f
 - Upper limb recipient vessels, 115–117
 - Upper limb reconstruction
 - “bloodless” surgery in, 318
 - burn injuries, 669
 - function as priority in, 318
 - groin/SCIP flap for, 246–247, 249f
 - keystone flaps for, 317–329
 - arm, 319–320, 319f, 322–323, 322f–323f, 327, 327f–329f
 - clinical perspectives on, 327, 327f–329f
 - design of, 322–327
 - elbow region, 320, 323–324, 324f–325f
 - forearm, 319–322, 320f, 323–324, 324f–325f
 - hand, 321f, 322, 326–327, 326f
 - vascular pedicles and blood supply for, 317–322, 319f–321f
 - parascapular flap for, 623

radial forearm flap for, 399
 skin grafting in, 318
 TDAP flap for, 476f
 Urethral reconstruction, ulnar artery fasciocutaneous flap for, 540

V

Vacuum dressing, 26
 Vaginal reconstruction, gracilis flap for, 241f
 Vascular induction, 42
 Vascularized bone grafts, free, for spinal reconstruction, 644–649
 approaches in, 644
 cervical spine, 645–646, 646f
 cervicothoracic and thoracic spine, 646–647, 646f–647f
 double barrel fibula strut for, 645, 645f, 647f
 indications for, 644, 644f
 lower thoracic and thoracolumbar spine, 647
 lumbar spine, 647–648, 647f–648f
 osteotomy for, 645, 645f
 planning for, 644–645
 postoperative monitoring of, 648–649
 surgical technique for, 645, 645f
 vascular pedicle of, 645
 Vascularized tendon graft
 with dorsalis pedis flap, 632
 with lateral arm flap, 347
 with radial forearm flap, 626, 627f
 Vascular pedicle. *See specific flaps*
 Vascular plexus, 4–5, 4f
 Vasospasm, in microsurgery, 38, 38t
 Vastus lateralis muscle, taking in ALT flap, 173, 173f
 Vein grafts, 32–33, 42f
 Vertical mattress sutures, 6–7, 8f
 Vertical rectus abdominis myocutaneous (VRAM) flap, 69–71, 69f, 70f, 540–545
 anatomy and, 544
 classification of, 540
 clinical perspectives on, 544
 donor site closure, 544
 hints and tips on, 544–545
 incision for, 540f, 541
 inset of, 541–542, 543f
 patient positioning for, 540, 540f, 541f
 raising, 540f–545f, 541–544
 surface markings of, 540–541, 540f
 variations in, 544
 vascular pedicle of, 540

Vesicovaginal fistulas, omental flap for, 373
 Vessel dilators, microsurgical, 31
 Visible light spectrophotometry (VLS), for flap monitoring, 150–151
 Visual assessment, of flaps, 151–152
 Volume-rendered technique (VRT), 45f, 46
 VRAM. *See* Vertical rectus abdominis myocutaneous (VRAM) flap
 VRT. *See* Volume-rendered technique
 V-Y advancement flap, 15, 17f, 70, 71

W

War, mission setting after. *See* Mission setting
 Workhorse flaps, 40, 41t, 677, 678t–679t
 Wound healing, 3–4
 adjunctive techniques in, 26–28
 factors affecting, 4
 phases of, 3–4, 3f
 secondary intention, 26–28
 W-plasty, 25, 26f
 Wrist reconstruction, TDAP flap for, 476f

X

Xenograft, skin, 10

Y

Y-V advancement flap, 15

Z

Zitelli's flap, for nasal reconstruction, 582–584
 anatomy and, 584
 classification of, 582
 clinical perspectives on, 583f, 584
 donor site closure, 583f, 584
 first lobe placement, 584
 graft site preparation for, 582, 583f
 hints and tips on, 584
 patient positioning for, 582
 raising, 582–584, 583f
 second lobe placement, 583f, 584
 surface markings of, 582, 583f
 vascular pedicle of, 582
 Z-plasty, 25, 25f
 angle of, 25, 25f, 26t
 for burn injuries, 664–665
 multiple, 25f
 simple, 25f
 Z-touch surface matching registration, 49



Thieme